





Design: Hallvard Jakobsen

UNO

UNO WHITE E-27

UNO GRAPHITE E-27



IP65 IK10



UNO GRAPHITE





UNO WHITE





Design: Hallvard Jakobsen



PRIMO

PRIMO WHITE	26W TC-D G24d-3	E-27 60W
PRIMO GRAPHITE	26W TC-D G24d-3	E-27 60W
PRIMO BLACK	26W TC-D G24d-3	

IK10  IP65   



PRIMO WHITE



PRIMO BLACK



PRIMO GRAPHITE

BALLAD



BALLAD WHITE



BALLAD SILVER




BALLAD GRAPHITE



BALLAD BLACK

BALLAD WHITE		E-27 60W
BALLAD SILVER		E-27 60W
BALLAD GRAPHITE		E-27 60W
BALLAD BLACK	26W TC-D G24d-3	E-27 60W

IP64 IK10



Design: Birger Sevaldso





DUETT

DUETT WHITE E-27 60W

DUETT GRAPHITE 18W TC-D G24d-3 E-27 60W

DUETT GRAPHITE 18W TC-D G24d-3 E-27 60W

IK10  **IP65**



Design: Svein Knutsen



DUETT WHITE



DUETT GRAPHITE



DUETT BLACK

TARDO

TARDO WHITE 26W TC-D G24d-3 E-27 60W

TARDO GRAPHITE E-27 60W


IK10  **IP65**




TARDO WHITE



TARDO GRAPHITE



Design: Andrew Smith



DISCOS

DISCOS WHITE 2x26W TC-D G24d-3 E-27 60W

DISCOS GRAPHITE E-27 60W

IP65 IK10 




DISCOS WHITE




DISCOS GRAPHITE



Design: Hallvard Jakobsen



DISCOS



CANTO

CANTO WHITE 2x26W TC-D G24d-3 E-27 60W

CANTO GRAPHITE 2x26W TC-D G24d-3 E-27 60W

IK10  **IP65**


Design: Svein Knutsen/Andrew Smith




CANTO WHITE



CANTO GRAPHITE



CANTO



LINK

LINK WHITE 2x26W TC-D G24d-3 E-27 60W

LINK GRAPHITE 2x26W TC-D G24d-3 E-27 60W


IP65 IK10 




LINK WHITE




LINK GRAPHITE



Design: Hallvard Jakobsen



LINK



SIDEWALK

SIDEWALK WHITE 2x26W TC-D G24d-3 E-27 60W

SIDEWALK GRAPHITE E-27 60W


IP65 IK10 



SIDEWALK WHITE



SIDEWALK GRAPHITE




TRIO

TRIO WHITE 611520 E27

TRIO GRAPHITE 623520 E27

TRIO GALVANIZED 691520 E27

IK10  IP65



TRIO WHITE



TRIO GRAPHITE



TRIO GALVANIZED




ALTO

ALTO WHITE 611370A 2xE27

ALTO GRAPHITE 611370A 2xE27

IK10  IP65



ALTO WHITE



ALTO GRAPHITE

LARGO

LARGO WHITE 611560 E27

LARGO GRAPHITE 623560 E27

LARGO GALVANIZED 691560 E27

CE  **IK10**  **IP65**




LARGO WHITE



LARGO GRAPHITE



LARGO GALVANIZED



SPIDER

SPIDER WHITE 611676A 2xE27

SPIDER GRAPHITE 611676A 2xE27


IP64 IK10 



SPIDER WHITE



SPIDER GRAPHITE



SPINET

SPINET WHITE 611671A 2xE27

SPINET GRAPHITE 611671A 2xE27

IP64 IK10 




SPINET WHITE



SPINET GRAPHITE





ABRAM 190 WHITE

ABRAM 190

ABRAM 190 WHITE IP55 R75, 8,5W, 3000K

ABRAM 190 BLACK IP55 R75, 8,5W, 3000K

- **Dimension:** 195x120x60mm
- S ovim artiklom dolazi led žarulja



ABRAM 190 BLACK



R75



BERTA

BERTA WHITE	IP66	E27
--------------------	------	-----

BERTA GREY	IP66	E27
-------------------	------	-----

BERTA BLACK	IP66	E27
--------------------	------	-----

▪ **Dimension:** Ø275x80mm



BERTA WHITE



BERTA GREY



BERTA BLACK



LIVIA 60, 180



LIVIA 180 WHITE



LIVIA 60 WHITE

LIVIA 60 WHITE

IP55

G9, 1.7W, 3000K

- **Dimension:** Ø60x69mm

LIVIA 180 WHITE

IP55

E27, 30W, 3000K

- **Dimension:** Ø180x200mm
- S ovim artiklom dolazi led žarulja

LIVIA 160

LIVIA 160 BLACK

IP55

GX53, 10W, 1000Lm, 6500K-4000K-2700K

LIVIA 160 WHITE

IP55

GX53, 10W, 1000Lm, 6500K-4000K-2700K

- **Dimension:** Ø160x100mm
- S ovim artiklom dolazi led žarulja



LIVIA 160 BLACK



GX53 10W



LIVIA 160 WHITE

TERESA

TERESA 1L BLACK	IP67	G9, 1.7W, 3000K
TERESA 1L WHITE	IP67	G9, 1.7W, 3000K
TERESA 2L BLACK	IP67	G9, 1.7W, 3000K
TERESA 2L WHITE	IP67	G9, 1.7W, 3000K
TERESA BLACK	IP67	G9, 1.7W, 3000K
TERESA WHITE	IP67	G9, 1.7W, 3000K

- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- S ovim artiklom dolazi led žarulja



TERESA 1L BLACK



TERESA 1L WHITE



TERESA 2L BLACK



TERESA 2L WHITE



TERESA BLACK



TERESA WHITE

CDR020401, CDR020402

CDR020401 DARK GREY 3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

▪ **Dimension:** Ø200x45mm

CDR020402 DARK GREY 3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

▪ **Dimension:** 200x200x45mm

- Die-casting aluminium body in dark grey powder coated
- TUV approved LED driver
- White box package+product label



CDR020401



CDR020402

2605S, 2605M

2605S DARK GREY IP65, LED 18W, 4000K ABS+PC

▪ **Dimension:** Ø270x60mm

2605M DARK GREY IP65, LED 24W, 4000K ABS+PC

▪ **Dimension:** Ø320x60mm



2605S, 2605M

2601M, 2601L

2601M DARK GREY IP65, LED 24W, 4000K ABS+PC

▪ **Dimension:** 280x280x60mm

2601L DARK GREY IP65, LED 36W, 4000K ABS+PC

▪ **Dimension:** 330x330x60mm



2601M, 2601L



91211

91211 GREY 15W, E27, CFL, Aluminium and PC diffuser

91211 WHITE 15W, E27, CFL, Aluminium and PC diffuser

▪ **Dimension:** 175x145x100mm



91211 WHITE



91218

91218 GREY 18W, E27, CFL, Aluminium and PC diffuser

91218 WHITE 18W, E27, CFL, Aluminium and PC diffuser

▪ **Dimension:** 290x145x100mm



91218 GREY



91218 WHITE



91215

91215 GREY 18W, E27, Aluminium and PC diffuser

91215 WHITE 18W, E27, Aluminium and PC diffuser

▪ **Dimension:** 290x145x100mm



91215 GREY



91215 WHITE



91217

91217 GREY 18W, E27, Aluminium and PC diffuser

91217 WHITE 18W, E27, Aluminium and PC diffuser

▪ **Dimension:** 290x145x100mm



91217 GREY



91217 WHITE



WM001

WM001 DARK GREY ANTRACITE IP65, GU10 MAX 50W

WM001 WHITE IP65, GU10 MAX 50W

- **Dimension:** 108xØ63x95mm
- Class 1, Aluminium body, Tempered glass diffuser, silicone gasket



WM001 DARK GREY
ANTRACITE



WM001 WHITE

WM002

WM002 DARK GREY ANTRACITE IP65, GU10, 2xMAX 35W

WM002 WHITE IP65, GU10, 2xMAX 35W

- **Dimension:** 177xØ63x95mm
- Class 1, Aluminium body, Tempered glass diffuser, silicone gasket



WM002 DARK GREY
ANTRACITE




WM002 WHITE



CDR020204

WM002 ALU DARK GREY IP54, 240V, 2x6W, 3000K

- Die-casting body in dark grey powder coated finish
- Tempered glass
- CREE LED 1304
- Perfect led reflector included
- TUV approved led driver
- White box package+product label




CDR020204

CDR020204S

WM002S ALU DARK GREY IP54, 240V, 6W, 3000K

- Die-casting body in dark grey powder coated finish
- Tempered glass
- CREE LED 1304
- Perfect led reflector included
- TUV approved led driver
- White box package+product label




CDR020204S

CDR020451

CDR020451 ANTRACITE GREY IP65, 240V, GU10, MAX 35W

- Aluminium body in dark grey powder coat
- Tempered glass
- 500mm long aluminium tube




CDR020451

WM051

WM051 DARK GREY ANTRACITE IP54, GU10, MAX 50W

WM051 WHITE IP54, GU10, MAX 50W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM051 DARK GREY ANTRACITE




WM051 WHITE

WM052

WM052 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM052 WHITE IP54, GU10, 2xMAX 35W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM052 DARK GREY ANTRACITE




WM052 WHITE

WM053

WM053 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM053 WHITE IP54, GU10, 2xMAX 35W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM053 DARK GREY ANTRACITE




WM053 WHITE

WM055

WM055 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM055 WHITE IP54, GU10, 2xMAX 35W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM055 DARK GREY ANTRACITE



WM055 DARK GREY ANTRACITE




WM055 WHITE

WM042

WM042 DARK GREY ANTRACITE IP54, GU10, MAX 50W

WM042 MATT WHITE WHITE IP54, GU10, MAX 50W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM042 DARK GREY ANTRACITE




WM042 WHITE

WM043

WM043 DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

WM043 MATT WHITE WHITE IP54, GU10, 2xMAX 35W

- Class 1
- Aluminium die casting bod
- Tempered glass diffuser
- Silicone gasket



WM043 DARK GREY ANTRACITE



WM043 WHITE



XK1001

XK1001 WHITE IP54, GU10

XK1001 ANTRACITE IP54, GU10

▪ **Dimension:** 85x85x66mm



XK1001 WHITE



XK1001 ANTRACITE

XK1002

XK1002 WHITE IP54, GU10

XK1002 ANTRACITE IP54, GU10

▪ **Dimension:** Ø90x62mm



XK1002 WHITE



XK1002 ANTRACITE

CDR06077

CDR06077 ALU DARK GREY IP54, 240V, COB LED, 10W, 3000K

- **Dimension:** Ø82x128mm
- Pure aluminium body in dark grey powder coated
- Tempered glass
- Perfect led reflector included
- TUV approved led driver
- White box package+product label



XK1002 ANTRACITE





CDR020261 ALU DARK GREY

CDR020261

CDR020261 ALU DARK GREY IP54, 240V, SMD LEDS, 2x5W, 3000K

- **Dimension:** 195x110x54mm
- Die-casting aluminium dark grey powder coated
- PC diffuser
- TUV approved LED driver
- White box package+product label



CDR020231 ALU DARK GREY

CDR020231

CDR020231 ALU DARK GREY IP65, 240V, CREE LED, 7W, 3000K

- **Dimension:** Ø84x42mm
- Pure aluminium body in dark grey powder coated
- Perfect led lens
- TUV approved LED driver
- White box package+product label



CDR020391 ALU DARK GREY

CDR020391

CDR020231 ALU DARK GREY IP54, 240V, SMD LEDS, 7W, 3000K

- **Dimension:** Ø150x50mm
- Die casting aluminium body in dark grey powder coated
- PC DIFFUSER
- TUV approved LED driver
- White box package+product label

SR2304S

SR2304S DARK GREY IP65, LED 6W, 3000K

▪ **Dimension:** 140x140x50,5mm



SR2304S

SR9401

SR9401 DARK GREY IP65, LED 2x3W, 3000K

▪ **Dimension:** 178x28x90mm



SR9401

SR81206

SR81206 DARK GREY IP65, LED 12W, 4000K

▪ **Dimension:** 220x170x50mm



SR81206

SR170

SR170	DARK GREY ANTRACITE	IP54, LED 230V, 6W, 3000K, Aluminium
SR170	WHITE	IP54, LED 230V, 6W, 3000K, Aluminium

▪ **Dimension:** 130x30x60mm



SR170 DARK GREY ANTRACITE



SR170 WHITE



SR171 DARK GREY ANTRACITE



SR171 WHITE

SR171

SR171	DARK GREY ANTRACITE	IP54, LED 230V, 12W, 3000K, Aluminium
SR171	WHITE	IP54, LED 230V, 12W, 3000K, Aluminium

▪ **Dimension:** 220x30x70mm



SR1601L DARK GREY ANTRACITE



SR1601L WHITE

SR1601L

SR1601L	DARK GREY ANTRACITE	IP54, LED 230V, 6W, 3000K, Aluminium
SR1601L	WHITE	IP54, LED 230V, 6W, 3000K, Aluminium

▪ **Dimension:** 170x60x70mm

SR181

SR181	ANTRACITE	IP54, AC220-240V, 3,5W, 3000K
--------------	-----------	-------------------------------

SR181	WHITE	IP54, AC220-240V, 3,5W, 3000K
--------------	-------	-------------------------------

▪ **Dimension:** 130x55x30mm



SR181 WHITE



SR181 ANTRACITE

SR16011T, SR16011F

SR16011T	ANTRACITE	LED 2x2W, 4000K, UP10° down 40°, 2x2W
-----------------	-----------	---------------------------------------

▪ **Dimension:** 110x110mm

SR16011F	ANTRACITE	LED 1x4W, 4000K, 4x10°, 4x1W
-----------------	-----------	------------------------------

▪ **Dimension:** 100x100mm



SR16011T ANTRACITE



SR16011F ANTRACITE



P1101

P1101	SILVER SIVA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 4000K
P1101	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 4000K
P1101	MAT BIJELA	230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 4000K

- **Dimension:** Ø150x27mm
- **Material:** PC + ABS & PC diffuser



P1101 SILVER SIVA



P1101 ANTRACIT SIVA



P1101 MAT BIJELA

P1201

P1201	SILVER SIVA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 4000K
P1201	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 4000K
P1201	MAT BIJELA	230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 4000K

- **Dimension:** 125x125x27mm
- **Material:** PC + ABS & PC diffuser



P1201 SILVER SIVA



P1201 ANTRACIT SIVA



P1201 MAT BIJELA

P1502

P1502	SILVER SIVA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, 3000K/4000K
--------------	-------------	--

P1502	ANTRACIT SIVA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, 3000K/4000K
--------------	---------------	--

P1502	MAT BIJELA	230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, 3000K/4000K
--------------	------------	--

- **Dimension:** 230x80x27mm
- **Material:** PC + ABS & PC diffuser



P1502 SILVER SIVA



P1502 ANTRACIT SIVA



P1502 MAT BIJELA

P1501

P1501	ANTRACITE	4000K
--------------	-----------	-------

P1501	WHITE	4000K
--------------	-------	-------


- **Dimension:** 230x80x27mm



P1501 ANTRACITE



P1501 WHITE



1501

P1501	BOX WHITE	220-240V, 60W, 50Hz, IP54, E27
P1501	BOX GREY	220-240V, 60W, 50Hz, IP54, E27
P1501	BOX BLACK	220-240V, 60W, 50Hz, IP54, E27
P1501	S/S INOX	220-240V, 60W, 50Hz, IP54, E27

■ **Dimension:** 233x83x101mm



1501 BOX WHITE



1501 BOX S/S GREY



1501 BOX S/S INOX



1501 BOX BLACK

1502

P1502	BOX WHITE	220-240V, 60W, 50Hz, IP54, E27
P1502	BOX GREY	220-240V, 60W, 50Hz, IP54, E27
P1502	BOX BLACK	220-240V, 60W, 50Hz, IP54, E27
P1502	S/S INOX	220-240V, 60W, 50Hz, IP54, E27

■ **Dimension:** 233x83x101mm



1502 BOX WHITE



1502 BOX S/S GREY



1502 BOX S/S INOX



1502 BOX BLACK



LED-IP65-SMD-SPOT LIGHT


LED-IP65-SMD-SPOT LIGHT 3000K

LED-IP65-SMD-SPOT LIGHT 4000K

▪ Dimension: Ø90x50mm RUPA ZA BUŠENJE: Ø70mm



LED-IP65-SMD SPOT LIGHT



ST 69

ST 69 ANTRACITE GREY 220-240V/AC, 60W MAX, 180°

P1501 WHITE 220-240V/AC, 60W MAX, 180°

Infrared Sensor Lamp



ST 69 ANTRACITE GREY



ST 69 WHITE



LED-BL

LED-BL-MY2S14XA1

- **Dimension:** Ø215x80mm

LED-BL-MT1S14XA1

- **Dimension:** 212x119x60,5mm

LED-BL-MY2S14XA2

- **Dimension:** Ø215x80mm

LED-BL-MY2S14DA1-B8 PIR SENSOR

- **Dimension:** Ø215x80mm

LED-BL-MT1S14DA1-B8-PIR SENSOR

- **Dimension:** 212x119x60,5mm

LED-BL-MY2S14DA2-B8 PIR SENSOR

- **Dimension:** Ø215x80mm

AC220-240V, 14W, 4000K, 1000Lm, IP54, 120°, 71,4 lm/W



LED-BL-MY2S14XA1



LED-BL-MT1S14XA1



LED-BL-MY2S14XA2



LED-BL-MY2S14DA1-B8 PIR
SENSOR



LED-BL-MT1S14DA1-B8 PIR
SENSOR



LED-BL-MY2S14DA2-B8 PIR
SENSOR

3707-A

3707-A S/S INOX 220/240V, 150W, 50Hz, IP67, E27

- **Dimension:** Ø226x263



3707-A S/S INOX

CDR040027 S/ S316+ALU

CDR040027 S/S316+ALU IP66, 240V, GU10, MAX 35W

- **Dimension:** Ø120x140mm
- Stainless steel top frame+die casting aluminium body
- Tempered glass difuser
- 0.38m VDE approved cable included. Two table glands.
- White box package+product label



CDR040027 S/S316+ALU



LD0052B

LD0052B S/S INOX 12V, 50W, 50Hz, IP65, G5.3

- **Dimension:** Ø152x100mm



LD0052B S/S INOX

LD0011B

LD0011B S/S INOX 12V, 35W, 50Hz, IP65, G5.3

- **Dimension:** Ø94x65mm





LD0011B S/S INOX

LED BRICK 200x100

LED BRICK 200X100

IP67, 2.3W, Single color

- Voltage Input: 24vdc, current: 95mA
- Working Temp.: -20°C~+60°C
- Working life expectancy: >20 000 hours, non-toxic, non-polluting and environmental friendly, double layer sealed, stainless steel base, sealed with silica gel inside for effective waterproof



LED BRICK 200X100



WM075

WM075 MAT WHITE GU10

WM075 DARK GREY/ANTRACITE GU10

▪ **Dimension:** Ø63x108mm



WM075 MAT WHITE



WM075 DARK GREY/ANTRACITE

SR 1711

SR 1711 ANTRACIT GREY LED 9W IP54, 3000K

▪ **Dimension:** Ø80x800mm



SR 1711

GL11602, GL11604, GL11607

GL11602 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 125x800mm

GL11604 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 170x200mm

GL11607 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 125x500mm



GL11607



GL11602



GL11604



GL11206, GL11204, GL11205

GL11206 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 170x200mm

GL11204 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 125x500mm

GL11205 ANTRACITE GREY LED 6W, IP54, 4000K

▪ **Dimension:** 125x800mm



GL11206



GL11204



GL11205



GL12401, GL12402, GL12403, GL12404

GL12401 ANTRACITE GREY E27, MAX 60W, IP54

▪ **Dimension:** 120x120x300mm

GL12402 ANTRACITE GREY E27, MAX 60W, IP54

▪ **Dimension:** 120x120x500mm

GL12403 ANTRACITE GREY E27, MAX 60W, IP54

▪ **Dimension:** 120x120x800mm

GL12404 ANTRACITE GREY E27, MAX 60W, IP54

▪ **Dimension:** 120x120x250mm



GL12404



GL12403



GL12401



GL12402





GL11307, GL11306, GL11305

GL11307 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 170x200mm

GL11306 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 125x800mm

GL11305 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 125x500mm



GL11307



GL11305



GL11306

GL11402, GL11403, GL11404

GL11402 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 175x500mm

GL11403 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 175x800mm

GL11404 ANTRACITE GREY E27, 23W, IP54

▪ **Dimension:** 170x200mm



GL11404



GL11403



GL11402



PFT200W, PFT200G

PFT200W WHITE PE+PBS, IP65, E27, MAX25W

PFT200G GRANITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200X190mm



PFT200W WHITE



PFT200G GRANITE

PFT600W

PFT600W WHITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200X220mm



PFT600W WHITE

PFT601W, PFT601G

PFT601W WHITE PE+PBS, IP65, E27, MAX25W

PFT601G GRANITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 400x400X200mm



PFT601W WHITE



PFT601W GRANITE

PFT606W

PFT606W WHITE PE+PBS, IP65, E27, MAX25W

- **Dimension:** 280x280X600mm



PFT800W

PFT800W WHITE PE+PBS, IP65, E27, MAX25W

- **Dimension:** 200x200X280mm



PFT809W

PFT809W WHITE PE+PBS, IP65, E27, MAX25W

- **Dimension:** 200x200X340mm



PFT830W

PFT830W WHITE PE+PBS, IP65, E27, MAX25W

- **Dimension:** 300x300X360mm



0058-WD, 0058-H

0058-WD	BG	230V, 60W, 50Hz, IP44, E27	180x360x260mm
0058-H	BG	230V, 60W, 50Hz, IP44, E27	180x300x180mm



0058-WD BG



0058-H BG



061-PL-3 BG

061-PL-3, 061-WD, 061-H

061-PL-3	BG	230V, 60W, 50Hz, IP44, 3x E27	VISINA: 2070mm
061-WD	BG	230V, 60W, 50Hz, IP44, E27	210x360x280mm
061-h	BG	230V, 60W, 50Hz, IP44, E27	210x300x210mm



061-WD BG



061-H BG



0065-M-WD BG

0065-M-H BG

0065-M-WD, 0065-M-H

0065-M-WD	BG	230V, 60W, 50Hz, IP44, E27	220x430x290mm
------------------	----	----------------------------	---------------

0065-M-H	BG	230V, 60W, 50Hz, IP44, E27	220x370x220mm
-----------------	----	----------------------------	---------------

0156-M-WU-2, 0156-M-H

0156-M-WU-2	BG	230V, 60W, 50Hz, IP44, E27	240x380x260mm
--------------------	----	----------------------------	---------------

0156-M-H	BG	230V, 60W, 50Hz, IP44, E27	240x360x240mm
-----------------	----	----------------------------	---------------



0156-M-WU-2 BG

0156-M-H BG

0047-WD, 0047-H

0047-WD SILVER-BLACK 230V, 60W, 50Hz, IP44, E27 290x360x360mm

0047-H SILVER-BLACK 230V, 60W, 50Hz, IP44, E27 290x290x290mm



0047-WD SILVER-BLACK

0047-H SILVER-BLACK

0140-WD, 0140-H

0140-WD SILVER-BLACK 230V, 60W, 50Hz, IP44, E27 150x400x200mm

0140-H SILVER-BLACK 230V, 60W, 50Hz, IP44, E27 150x380x150mm



0140-WD SILVER-BLACK

0140-H SILVER-BLACK

0107-H

0107-H BK 230V, 60W, 50Hz, IP44, E27 200x260x200mm

0107-H WH 230V, 60W, 50Hz, IP44, E27 200x260x200mm

0107-H BG 230V, 60W, 50Hz, IP44, E27 2200x260x200mm



0107-H BK



0107-H WH



0107-H BG



0107-WD

0107-WD	BK	230V, 60W, 50Hz, IP44, E27	200x300x220mm
0107-WD	WH	230V, 60W, 50Hz, IP44, E27	200x300x220mm
0107-WD	BG	230V, 60W, 50Hz, IP44, E27	200x300x220mm



0107-WD BG



0107-WD BK



0107-WD WH

0064-WD, 0064-H

0064-WD	BG	230V, 60W, 50Hz, IP44, E27	180x320x230mm
0064-H	BG	230V, 60W, 50Hz, IP44, E27	180x320x180mm



0064-WD BG



0064-H BG

0108-H, 0108-WD



0108-WD DG

0108-H DG

0108-H	DG	230V, 60W, 50Hz, IP44, E27	200x260x200mm
--------	----	----------------------------	---------------

0108-WD	DG	230V, 60W, 50Hz, IP44, E27	200x340x340mm
---------	----	----------------------------	---------------

0097-H, 0097-WD

0097-H	RT	230V, 60W, 50Hz, IP44, E27	200x300x200mm
--------	----	----------------------------	---------------

0097-WD	RT	230V, 60W, 50Hz, IP44, E27	200x300x260mm
---------	----	----------------------------	---------------



0097-H RT

0097-WD RT





0092-WD, 0092-H

0092-WD	TC	230V, 60W, 50Hz, IP44, E27	210x390x220mm
0092-H	TC	230V, 60W, 50Hz, IP44, E27	210x350x210mm
0092-WD	BK	230V, 60W, 50Hz, IP44, E27	210x390x220mm
0092-H	BK	230V, 60W, 50Hz, IP44, E27	210x350x210mm



0092-WD TC



0092-WD BK



0092-H TC



0092-H BK

0022-H

0022-H VG 230V, 60W, 50Hz, IP44, E27 150x400x150mm

0022-H BG 230V, 60W, 50Hz, IP44, E27 150x400x150mm



0022-H VG



0022-H BG

0022-S-PL-3

0022-S-PL-3 BG 230V, 60W, 50Hz, IP44, 3xE27 VISINA: 2150mm

0022-WD

0022-WD VG 230V, 60W, 50Hz, IP44, E27 150x450x250mm

0022-WD BG 230V, 60W, 50Hz, IP44, E27 150x450x250mm



0022-WD VG



0022-WD BG



0022-S-PL-3

0006-H, 0006-WD, 0006-S-PL-3

0006-H	RT	230V, 60W, 50Hz, IP44, E27	200x400x200mm
0006-WD	RT	230V, 60W, 50Hz, IP44, E27	200x460x240mm
0006-S-PL-3	RT	230V, 60W, 50Hz, IP44, 3xE27	VISINA: 2120mm



0006-H RT



0006-WD RT



0006-S-PL-3 RT

XTY-17031, XTY- 17031-PS

XTY-17031 MATT BLACK E27

▪ **Dimension:** 450x780mm

XTY-17031-PS MATT BLACK E27

▪ **Dimension:** 365x3000mm



XTY-17031-PS MATT BLACK



XTY-17031 MATT BLACK

XTY-17013-WD, XTY-17013-PL2

XTY-17013-WD MATT BLACK E27

- **Dimension:** 360x625mm

XTY-17013-PL2 MATT BLACK 2xE27

- **Dimension:** 760x3200mm



XTY-17013-WD MATT BLACK

XTY-17013-PL2 MATT BLACK

XTY-17012-M-W, XTY-17012-PS

XTY-17012-M-W MATT BLACK E27

- **Dimension:** 350x360mm

XTY-17012-PS MATT BLACK E27

- **Dimension:** 380x3200mm



XTY-17012-M-W MATT BLACK

XTY-17012-PS MATT BLACK



4101

4101	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

4101	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 408x178mm



4102 WHITE



4101 BLACK

4102

4102	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

4102	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 408x178mm

4105

4105	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

4105	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 970x150mm



4105 WHITE

4210

4210	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

4210	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 1325x195mm



4210 BLACK

6101

6101	GB	220~240V, 60W, 50HZ, IP43, E27
-------------	----	--------------------------------

6101	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

6101	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 348x226mm



6101 GB

6102

6101	GB	220~240V, 60W, 50HZ, IP43, E27
-------------	----	--------------------------------

6101	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

6101	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 348x226mm



6102 WHITE

6105

6105	GB	220~240V, 60W, 50HZ, IP43, E27
-------------	----	--------------------------------

6105	BLACK	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

6105	WHITE	220~240V, 60W, 50HZ, IP43, E27
-------------	-------	--------------------------------

▪ **Dimension:** 972x202mm



6105 BLACK



6201

6201	GB	220~240V, 100W, 50HZ, IP43, E27
6201	BLACK	220~240V, 100W, 50HZ, IP43, E27
6201	WHITE	220~240V, 100W, 50HZ, IP43, E27

- **Dimension:** 422x280mm



6201 WHITE



6201 GB

6213

6213	GB	220~240V, 100W, 50HZ, IP43, 3xE27
6213	BLACK	220~240V, 100W, 50HZ, IP43, 3xE27
6213	WHITE	220~240V, 100W, 50HZ, IP43, 3xE27

- **Dimension:** 2060x450mm

6202

6202	GB	220~240V, 100W, 50HZ, IP43, E27
6202	BLACK	220~240V, 100W, 50HZ, IP43, E27
6202	WHITE	220~240V, 100W, 50HZ, IP43, E27

- **Dimension:** 422x280mm

6210


6210	GB	220~240V, 100W, 50HZ, IP43, E27
6210	BLACK	220~240V, 100W, 50HZ, IP43, E27
6210	WHITE	220~240V, 100W, 50HZ, IP43, E27

- **Dimension:** 422x280mm

6205

6205	GB	220~240V, 100W, 50HZ, IP43, 3xE27
6205	BLACK	220~240V, 100W, 50HZ, IP43, 3xE27
6205	WHITE	220~240V, 100W, 50HZ, IP43, 3xE27

- **Dimension:** 2060x450mm



6213 BLACK



6205 BLACK



6210 BLACK

LED-BLS-FL

LED-BLS-FL 10W 4000K, 800lm, IP65, Led qty:15, IP65

▪ **Dimension:** 115x106x35mm

LED-BLS-FL 20W 4000K, 800lm, IP65, Led qty:28, IP65

▪ **Dimension:** 145x127x35mm

LED-BLS-FL 30W 4000K, 800lm, IP65, Led qty:42, IP65

▪ **Dimension:** 185x175x40mm

LED-BLS-FL 50W 4000K, 800lm, IP65, Led qty:56, IP65

▪ **Dimension:** 210x203x45mm

TUV CE, RoHS, LED Floodlight with glass surface,
Die-cast aluminium hosting, Tempered glass
with H05RN-3G 1.00mm² rubble cable, 15cm

▪ CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W



LED-BLS-FL-20W



LED-BLS-FL-30W



LED-BLS-FL-50W

LED-BLS-FL-PIR

LED-BLS-FL 10W PIR 4000K, 800lm, IP65, Led qty:15, IP54

▪ **Dimension:** 119x158x43mm

LED-BLS-FL 20W PIR 4000K, 800lm, IP65, Led qty:28, IP54

▪ **Dimension:** 146x173x44mm

LED-BLS-FL 30W PIR 4000K, 800lm, IP65, Led qty:42, IP54

▪ **Dimension:** 185x197x45mm

LED-BLS-FL 50W PIR 4000K, 800lm, IP65, Led qty:56, IP54

▪ **Dimension:** 207x228x55mm

TUV CE, RoHS, LED Floodlight with glass surface,
Die-cast aluminium hosting, Tempered glass
with H05RN-3G 1.00mm² rubble cable, 15cm

▪ CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W-PIR



LED-BLS-FL-20W-PIR



LED-BLS-FL-30W-PIR



LED-BLS-FL-50W-PIR

SD-F012-SMD

SD-F012-SMD-50W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

▪ **Dimension:** 250x210x60mm


SD-F012-SMD-100W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

▪ **Dimension:** 295x255x80mm

SD-F012-SMD-150W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

▪ **Dimension:** 360x310x85mm

SD-F012-SMD-200W 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz





F012

F012-10W-RGB 80-90lm/W, cob Epistar chip, 120°, 85-265V, 50-60Hz

F012-20W-RGB 80-90lm/W, cob Epistar chip, 120°, 85-265V, 50-60Hz



F012-RGB

ST69

ST69 WHITE 220-240V/AC, 60W, 50HZ, IP44, 180°

ST69 ANTRACITE GREY 220-240V/AC, 60W, 50HZ, IP44, 180°

▪ **Dimension:** Ø264x101x184mm



ANTRACITE GREY



SD-ST008

SD-ST008-40W 220/240V, PF: >0.9, 4000K, 80x140°

- **Dimension:** 350x115x52mm

SD-ST008-60W 220/240V, PF: >0.9, 4000K, 80x140°

- **Dimension:** 430x150x62mm

SD-ST008-90W 220/240V, PF: >0.9, 4000K, 80x140°

- **Dimension:** 450x150x62mm

SD-ST008-120W 220/240V, PF: >0.9, 4000K, 80x140°

- **Dimension:** 565x180x72mm



SD-ST008-40W



SD-ST008-60W



SD-ST008-80W



SD-ST008-120W

LEDA URBAN

LEDA URBAN 1S 220/240V, 50Hz, 3500-5000K, 20-40W, 2200-4400lm, 2kg

▪ **Dimension:** 455x81x76mm

LEDA URBAN 1M 220/240V, 50Hz, 3500-5000K, 50-90W, 5500-9900lm, 4.5kg

▪ **Dimension:** 703x262x90mm

LEDA URBAN L 220/240V, 50Hz, 3500-5000K, 100-160W, 11000-17600lm, 9kg

▪ **Dimension:** 582x285x90mm

- Faktor snage: >0,95
- Ra: >80
- Efikasnost svjetiljke: >85lm/W
- Životni vijek: 50000h
- Radna temp.: -20°C do +50°C
- IK10
- Kućište: Ekstrudirani aluminij
- Montaža: 2xM8 vijci
- Certifikati: EMC, LVD, IK10, IP66, CE
- Regulacija: 1-10V



LEDA URBAN 1S



LEDA URBAN 1M



LEDA URBAN 1L



O 18/36/58W

O 1x18W ▪ Dimension: L= 662, B= 81, H= 93mm

O 2x18W ▪ Dimension: L= 662, B= 130, H= 93mm


O 1x36W ▪ Dimension: L= 1270, B= 81, H= 93mm

O 2x36W ▪ Dimension: L= 1270, B= 130, H= 93mm

O 1x58W ▪ Dimension: L= 1562, B= 81, H= 93mm

O 2x58W ▪ Dimension: L= 1562, B= 130, H= 93mm

CE **IP65**



▪ **PAŽNJA!**

Kućište je namijenjeno isključivo led cijevima s priključnim kontaktima na jednoj strani!





L 818 611 SY2, L 818 601 SY1


L 818 611 SY2 x 18W ■ **Dimension:** L= 662, B= 130, H= 93mm

L 818 601 SY1 x 36W ■ **Dimension:** L= 1270, B= 81, H= 93mm

L 818 611 SY2 x 36W ■ **Dimension:** L= 1270, B= 130, H= 93mm

L 818 601 SY1 x 58W ■ **Dimension:** L= 1562, B= 81, H= 93mm

L 818 611 SY2 x 58W ■ **Dimension:** L= 1562, B= 130, H= 93mm





TO1544

TO1544 GREY 220~240V, 60W, 50HZ, IP54, E27

TO1544 WHITE 220~240V, 60W, 50HZ, IP54, E27

- **Dimension:** 257x90x88mm



TO1544 GREY



TO1541

TO1541 GREY 220~240V, 60W, 50HZ, IP54, E27

TO1541 BLACK 220~240V, 60W, 50HZ, IP54, E27

TO1541 WHITE 220~240V, 60W, 50HZ, IP54, E27

- **Dimension:** 155x82x88mm



TO1541 BLACK



1803

1803 GREY 220~240V, 75W, 50HZ, IP54, E27

- **Dimension:** 264x118x128mm



1803 GREY



1801

1801 GREY 220~240V, 75W, 50HZ, IP54, E27

- **Dimension:** 264x118x128mm



1801 GREY





1603

1603	GREY	220~240V, 60W, 50HZ, IP54, E27
1603	WHITE	220~240V, 60W, 50HZ, IP54, E27
1603	BLACK	220~240V, 60W, 50HZ, IP54, E27

▪ **Dimension:** 219x125x154mm



1603 GREY



2101

2101	WHITE	220~240V, 60W, 50HZ, IP54, E27
-------------	-------	--------------------------------

▪ **Dimension:** Ø250x125mm



2101 WHITE



1402

1402	WHITE	220~240V, 60W, 50HZ, IP54, E27
1402	BLACK	220~240V, 60W, 50HZ, IP54, E27

Dimension: 213x95x107mm



1402 BLACK



SG-623579

SG-623579 PRIMO GRAPHITE 230V, 20W LED integrirani, IP65

▪ **Dimension:** Ø270x125mm



SG-623579 PRIMO GRAPHITE



SG-633864

SG-633864 CANTO GRAPHITE 230V, 25W LED integrirani, IP65

▪ **Dimension:** Ø325x105mm



SG-633864 CANTO GRAPHITE



1503

1503 BOX WHITE 220~240VV, 60W, 50Hz, IP54, E27

1503 BOX BLACK 220~240VV, 60W, 50Hz, IP54, E27

Dimension: 233mm



1503 BOX WHITE



TO1554

T01554 WHITE 220~240VV, 60W, 50Hz, IP54, E27

T01554 BLACK 220~240VV, 60W, 50Hz, IP54, E27

Dimension: 317x115x94mm



TO1554 BLACK



72141

72141 IP65, 1W LEDS, Aluminium, 230V/AC

- **Dimension:** Ø80x100mm



72141



72421

72141 IP65, 1W LEDS, Aluminium, 230V/AC

- **Dimension:** 40x40mm



72421



P6001A

P6001A MATT SILVER 1,5W, 230V, IP65

P6001A ANTRACITE GREY 1,5W, 230V, IP65

- **Dimension:** Ø75mm



P6001A



2007

2007 BLACK 220~240V/AC, 60W, 50HZ, IP54, E27

- **Dimension:** 252x180x134mm



2007 BLACK





62741-A MAXI PC

62741-A MAXI PC BLACK IP65, E27, 100W, PC

▪ **Dimension:** 280x170x132mm



62741-A MAXI PC BLACK



2201

2201	BLACK	220~240V, 100W, 50Hz, IP54, E27
2201	GREY	220~240V, 100W, 50Hz, IP54, E27
2201	WHITE	220~240V, 100W, 50Hz, IP54, E27

▪ **Dimension:** 320x205x125mm



2201 BLACK



62750-C MAXI PC

62750- MAXI PC WHITEIP65, E27, 100W, PC

62750- MAXI PC BLACK IP65, E27, 100W, PC

▪ **Dimension:** Ø280mm



62750-C MAXI PC WHITE



62750-C MAXI PC BLACK



2074

2074 WHITE 220~240V, 75W, 50Hz, IP54, E27

2074 BLACK 220~240V, 75W, 50Hz, IP54, E27

▪ **Dimension:** Ø260x133mm



2074 WHITE



3012

3012 BLACK 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x51mm



3012 BLACK



3011

3011 WHITE 12V, 20W, 50Hz, IP54, G4

3011 BLACK 12V, 20W, 50Hz, IP54, G4

3011 GREY 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x46mm



3011 BLACK



TL3012

TL3012 WHITE 12V, 35W, 50Hz, IP68, G5.3

TL3012 BLACK 12V, 35W, 50Hz, IP68, G5.3

▪ **Dimension:** Ø92x290mm



TL3012



PK-200TB

PK-200TB MATT WHITE 10W, AC220/240V, 600lm, 4000K

PK-200TB MATT ANTR. GREY 10W, AC220/240V, 600lm, 4000K

▪ **Dimension:** 290x200x100mm



PK-200TB MATT WHITE



PK-200TB MATT
ANTRACITE GREY



PK-300TA SENSOR

PK-300TA SENSOR MATT ANTR. GREY 12W, AC220/240V, 900lm, 4000K

▪ **Dimension:** Ø300x100mm



PK-300TA SENSOR MATT
ANTRACITE GREY



PK-300TA

PK-300TA MATT WHITE IP66, 12W, AC220/240V, 900lm, 4000K

PK-300TA MATT ANTR. GREY IP66, 12W, AC220/240V, 900lm, 4000K

▪ **Dimension:** Ø300x100mm



PK-300TA MATT
ANTRACITE GREY



PK-300TA MATT
WHITE



PK-200TA

PK-200TA MATT ANTR. GREY 12W, AC220/240V, 950lm, 4000K

▪ **Dimension:** 290x200x100mm



PK-200TA MATT
ANTRACITE GREY



3606

3606 WHITE 12V, 35W, 50Hz, IP68, G5.3

▪ **Dimension:** 650mm



3606 WHITE



LG3624

LG3624 WHITE 230V, 100W, 50Hz, IP44, E27

▪ **Dimension:** 1000x155mm



LG3624 WHITE



TO3908A

TO3908A WHITE 230V, 60W, 50Hz, IP43, E27

▪ **Dimension:** 800x1505mm



TO3908A WHITE



TO3908B

TO3908B WHITE 230V, 60W, 50Hz, IP43, E27

TO3908B SILVER 230V, 60W, 50Hz, IP43, E27

▪ **Dimension:** 800x1505mm

TO3908B SILVER



PD-PIR500H 500W

PD-PIR500H 500W WHITE INFRARED SENSOR LAMP

PD-PIR500H 500W BLACK INFRARED SENSOR LAMP

- **Dimension:** 230x210x170mm



PD-PIR500H 500W WHITE



180° / 140°
Direction angle



SD-F013-MS

SD-F013-MS-10DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 10W, 85-265V/50-60HZ

- **Dimension:** 120x127x40mm

SD-F013-MS-20DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 20W, 85-265V/50-60HZ

- **Dimension:** 184x184x64mm

SD-F013-MS-30DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 30W, 85-265V/50-60HZ

- **Dimension:** 227x227x80mm

SD-F013-MS-50DW 120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 50W, 85-265V/50-60HZ

- **Dimension:** 290x290x90mm

****MS U OZNACI PREDSTAVLJA 5.8GHZ MICROWAVE SENSOR**



SD-F013-MS 10DW



SD-F013-MS 20DW



SD-F013-MS 30DW



SD-F013-MS 50DW



SD-F001-10DW

SD-F001-10DW 10W, LED Flood light, 80-90lm/W, 4000K, 120°, aluminium+glass

- **Dimension:** 113x85x80mm



SD-F001-10DW



SD-F001-50DW

SD-F001-50DW 50W, LED Flood light, 80-90lm/W, 4000K, 120°, aluminium+glass

- **Dimension:** 286x232x125mm



SD-F001-50DW



SD-F006PIR

SD-F006PIR-10CW 10W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 160x50x180mm

SD-F006PIR-30CW 30W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 250x90x295mm

SD-F006PIR-50CW 50W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 232x125x286mm



SD-F006PIR



SD-F002-100W

SD-F002-100W 100W (2x50W), LED Flood light, 4000K, AC85-265V, Epistar 35 mil chip

- **Dimension:** 330x403x120mm



SD-F002-100W



SD-F015-70W

SD-F015-70W 70W, LED Flood light, 4000K, AC85-265V, Epistar 38 mil chip

- **Dimension:** 286x185x105mm



SD-F015-70W



LED-FL2-AC220-240V-10W

LED-FL2-AC220-240V-10W 10W, LED Flood light, IP65, 700lm, PF: >0.85, 3000K, Ra: 80, 140°, Aluminium, Diffuser: glass, 2 years warranty

- **Dimension:** 135x111x18.5mm



LED-FL2-AC220-240V-10W



LED-SMD-220-240V

LED-SMD-220-240V-10W 10W, PIR LED Flood light, IP44, PF >0.9, 800lm, 6000K, 120°, Aluminium body, Glass Diffuser

- **Dimension:** 130x150x50mm

LED-SMD-220-240V-30W 30W, PIR LED Flood light, IP44, PF >0.9, 2500lm, 6000K, 120°, Aluminium body, Glass Diffuser

- **Dimension:** 170x190x70mm



LED-SMD-220-240V-10W



LED-SMD-220-240V-50W



SD-ST013

SD-ST013 12W

1W HIGH POWER, 12W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W

- **Dimension:** 350x95x55mm

SD-ST013 24W

1W HIGH POWER, 24W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W

- **Dimension:** 400x141x70mm



SD-ST013 12W



SD-ST013 24W

