



VANJSKA


# UMBERTA

**UMBERTA BLACK** 2xE27, IP66

**UMBERTA GREY** 2xE27, IP66

**UMBERTA WHITE** 2xE27, IP66

■ **Dimension:** Ø350x94mm



UMBERTA BLACK



UMBERTA GREY



UMBERTA WHITE





LUCIA BLACK



LUCIA GREY



LUCIA WHITE



## LUCIA

**LUCIA BLACK OPAL** E27, IP66

**LUCIA GREY OPAL** E27, IP66

**LUCIA WHITE OPAL** E27, IP66

■ **Dimension:** Ø300x90mm





## LUCIA EL

**LUCIA EL BLACK OPAL** E27, IP66

**LUCIA EL GREY OPAL** E27, IP66

**LUCIA EL WHITE OPAL** E27, IP66

■ **Dimension:** Ø300x90mm



LUCIA EL BLACK



LUCIA EL GREY




LUCIA EL WHITE

# BERTA

|                    |           |
|--------------------|-----------|
| <b>BERTA BLACK</b> | IP66, E27 |
| <b>BERTA GREY</b>  | IP66, E27 |
| <b>BERTA WHITE</b> | IP66, E27 |

■ **Dimension:** Ø275x80mm



BERTA BLACK



BERTA GREY




BERTA WHITE



# DANZI

|                    |           |
|--------------------|-----------|
| <b>DANZI BLACK</b> | E27, IP66 |
| <b>DANZI GREY</b>  | E27, IP66 |
| <b>DANZI WHITE</b> | E27, IP66 |

■ **Dimension:** 338x245x90mm



DANZI BLACK



DANZI GREY




DANZI WHITE



# BERTINA

|                |            |                           |
|----------------|------------|---------------------------|
| <b>BERTINA</b> | WHITE/OPAL | GX53, LED, 10W, CCT, IP66 |
| <b>BERTINA</b> | GREY/OPAL  | GX53, LED, 10W, CCT, IP66 |
| <b>BERTINA</b> | BLACK/OPAL | GX53, LED, 10W, CCT, IP66 |

- **Dimension:** Ø200x70mm
- **S ovim artiklom dolazi led žarulja**



BERTINA WHITE/OPAL



BERTINA GREY/OPAL




BERTINA BLACK/OPAL

# STUCCHI

|         |            |            |
|---------|------------|------------|
| STUCCHI | BLACK/OPAL | E-27, IP66 |
| STUCCHI | GREY/OPAL  | E-27, IP66 |
| STUCCHI | WHITE/OPAL | E-27, IP66 |

■ Dimension: 310x310x90mm



STUCCHI BLACK/OPAL



STUCCHI GREY/OPAL




STUCCHI WHITE/OPAL

# RITA

|      |                  |            |
|------|------------------|------------|
| RITA | ANT. GREEN/OPAL  | E-27, IP66 |
| RITA | ANT. BRONZE/OPAL | E-27, IP66 |

■ Dimension: Ø355x90mm



RITA ANT. BRONZE/OPAL



RITA ANT. GREEN/OPAL

# FRANCY

|              |                           |
|--------------|---------------------------|
| FRANCY BLACK | 6W, E27, LED, 2700K, IP66 |
| FRANCY GREY  | 6W, E27, LED, 2700K, IP66 |
| FRANCY WHITE | 6W, E27, LED, 2700K, IP66 |

- Dimension: 300x130x85mm
- S ovim artiklom dolazi led žarulja




FRANCY BLACK



FRANCY GREY




FRANCY WHITE



# FRANCY OP

|                      |           |
|----------------------|-----------|
| FRANCY OP BLACK OPAL | E27, IP66 |
| FRANCY OP GREY OPAL  | E27, IP66 |
| FRANCY OP WHITE OPAL | E27, IP66 |

■ Dimension: 300x130x85mm



FRANCY OP BLACK



FRANCY OP GREY




FRANCY OP WHITE

# ABRAM 190

**ABRAM 190 WHITE** IP55, RS7, 7.5W, CCT/8.5W, 3000K

**ABRAM 190 BLACK** IP55, RS7, 7.5W, CCT/8.5W, 3000K


- **Dimension:** 195x120x60mm
- **S ovim artiklom dolazi led žarulja**



ABRAM 190 WHITE



ABRAM 190 BLACK



ABRAM 270 BLACK/CLEAR



ABRAM 270 WHITE/CLEAR

IR Tuks




# ABRAM 270

**ABRAM 270** BLACK/CLEAR R7S LED 10,5 CCT, IP55

**ABRAM 270** WHITE/CLEAR R7S LED 10,5 CCT, IP55

- **Dimension:** 265x120x60mm
- **S ovim artiklom dolazi led žarulja**






## NINA 190

**NINA 190 BLACK OPAL** R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

**NINA 190 GREY OPAL** R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

**NINA 190 WHITE OPAL** R7S, LED, 7.5W, CCT/8.5, 2700K, IP55

- **Dimension:** 185x50x50mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**



NINA 190 GREY



NINA 190 WHITE




## LETI 300

**LETI 300 BLACK** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300 GREY** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300 WHITE** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**




LETI 300 BLACK



LETI 300 GREY



LETI 300 WHITE



LETI 300-GL WHITE



LETI 300-GL BLACK



LETI 300-GL GREY


## LETI 300-GL

**LETI 300-GL WHITE** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300-GL GREY** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300-GL BLACK** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**




## LETI 300-HS

**LETI 300-HS BLACK** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300-HS GREY** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

**LETI 300-HS WHITE** GX53, LED, 6W (2\*3W), CCT/3000K, IP66

- **Dimension:** 293x113x104mm
- **S ovim artiklom dolazi led žarulja i kutija za ugradnju**



LETI 300-HS BLACK



LETI 300-HS GREY



LETI 300-HS WHITE



LORENZA 150 BLACK/CLEAR




LORENZA 150 WHITE/CLEAR

## LORENZA 150

**LORENZA 150** BLACK/CLEAR R7S, LED, 3,2W, CCT, IP55

**LORENZA 150** WHITE/CLEAR R7S, LED, 3,2W, CCT, IP55

- **Dimension:** 150x150x45mm
- **S ovim artiklom dolazi led žarulja**



LORENZA 190 BLACK/CLEAR




LORENZA 190 WHITE/CLEAR

## LORENZA 190

**LORENZA 190** BLACK/CLEAR R7S, LED, 7,5W, CCT, IP55

**LORENZA 190** WHITE/CLEAR R7S, LED, 7,5W, CCT, IP55

- **Dimension:** 190x150x45mm
- **S ovim artiklom dolazi led žarulja**



LORENZA 270 BLACK/CLEAR




LORENZA 270 WHITE/CLEAR

## LORENZA 270

**LORENZA 270** BLACK/CLEAR R7S, LED, 10,5W, CCT, IP55

**LORENZA 270** WHITE/CLEAR R7S, LED, 10,5W, CCT, IP55

- **Dimension:** 260x150x45mm
- **S ovim artiklom dolazi led žarulja**




# TERESA

**TERESA BLACK** IP67, G9, 1.7W, 3000K, IP67

**TERESA WHITE** IP67, G9, 1.7W, 3000K, IP67

- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA BLACK




TERESA WHITE

# TERESA 1L

**TERESA 1L BLACK** IP67, G9, 1.7W, 3000K, IP67

**TERESA 1L WHITE** IP67, G9, 1.7W, 3000K, IP67

- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA 1L BLACK



TERESA 1L WHITE

# TERESA 2L

**TERESA 2L BLACK** IP67, G9, 1.7W, 3000K, IP67

**TERESA 2L WHITE** IP67, G9, 1.7W, 3000K, IP67


- **Dimension:** Ø50x100mm - installation housing depth: 90/70mm
- **S ovim artiklom dolazi led žarulja**



TERESA 2L BLACK



TERESA 2L WHITE






## LIVIA 60

**LIVIA 60 WHITE** IP55, G9, 1.7W, 3000K

**LIVIA 60 BLACK** IP55, G9, 1.7W, 3000K

- **Dimension:** Ø60x69mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 60 BLACK



LIVIA 60 WHITE



LIVIA 60 WHITE




LIVIA 60 BLACK

## LIVIA 160

**LIVIA 160 BLACK** IP55, GX53, 10W, 1000Lm, 6500K-4000K-2700K/CCT

**LIVIA 160 WHITE** IP55, GX53, 10W, 1000Lm, 6500K-4000K-2700K/CCT

- **Dimension:** Ø160x100mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 160 BLACK




LIVIA 160 WHITE

## LIVIA 180

**LIVIA 180 WHITE** IP55, E27, 30W, 3000K/CCT

**LIVIA 180 WHITE** IP55, E27, 30W, 3000K/CCT

- **Dimension:** Ø180x200mm
- **S ovim artiklom dolazi led žarulja**



LIVIA 180 WHITE



LIVIA 180 BLACK

## FRANCA 90

**FRANCA 90 WHITE** GU10, LED, 3.5W, CCT/3000K, IP55

**FRANCA 90 GREY** GU10, LED, 3.5W, CCT/3000K, IP55

**FRANCA 90 BLACK** GU10, LED, 3.5W, CCT/3000K, IP55

■ **Dimension:** Ø95x115mm

■ **S ovim artiklom dolazi led žarulja**





FRANCA 90 WHITE



FRANCA 90 GREY



FRANCA 90 BLACK



## FRANCA 90-1L WALL

**FRANCA 90-1L WALL WHITE** GU10, LED, 3.5W, CCT/3000K, IP55

**FRANCA 90-1L WALL GREY** GU10, LED, 3.5W, CCT/3000K, IP55

**FRANCA 90-1L WALL BLACK** GU10, LED, 3.5W, CCT/3000K, IP55

■ **Dimension:** Ø95x 110x128mm

■ **S ovim artiklom dolazi led žarulja**




FRANCA 90-1L WALL  
WHITE



FRANCA 90-1L WALL  
GREY



FRANCA 90-1L WALL  
BLACK



## FRANCA 90-2L WALL

**FRANCA 90-2L WALL WHITE** GU10, LED, 7W (2\*3.5W), CCT/3000K, IP55

**FRANCA 90-2L WALL GREY** GU10, LED, 7W (2\*3.5W), CCT/3000K, IP55

**FRANCA 90-2L WALL BLACK** GU10, LED, 7W (2\*3.5W), CCT/3000K, IP55

■ **S ovim artiklom dolazi led žarulja**

■ **Dimension:** Ø95x 110x240mm




FRANCA 90-2L WALL  
WHITE



FRANCA 90-2L WALL  
GREY



FRANCA 90-2L WALL  
BLACK




# MARTA 90

|             |               |                            |
|-------------|---------------|----------------------------|
| MARTA 90 1L | BLACK/FROSTED | GU10, LED, 3,5W, CCT, IP55 |
| MARTA 90 1L | WHITE/FROSTED | GU10, LED, 3,5W, CCT, IP55 |
| MARTA 90 2L | BLACK/FROSTED | GU10, LED, 7W, CCT, IP55   |
| MARTA 90 2L | WHITE/FROSTED | GU10, LED, 7W, CCT, IP55   |

- Dimension: 170x92x80mm
- S ovim artiklom dolazi led žarulja



MARTA 90 1L WHITE/FROSTED



MARTA 90 1L  
BLACK/FROSTED



MARTA 90 1L  
WHITE/FROSTED




MARTA 90 2L  
BLACK/FROSTED



MARTA 90 2L  
WHITE/FROSTED



MARTA 90 2L BLACK/FROSTED



# MARTA 160


**MARTA 160 1L** BLACK/FROSTED GX53, LED, 3W, CCT, IP55

**MARTA 160 1L** WHITE/FROSTED GX53, LED, 3W, CCT, IP55

**MARTA 160 2L** BLACK/FROSTED GX53, LED, 7W, CCT, IP55

**MARTA 160 2L** WHITE/FROSTED GX53, LED, 7W, CCT, IP55

- **Dimension:** 192x164x145mm
- **S ovim artiklom dolazi led žarulja**





# AMELIA WALL

**AMELIA WALL BLACK OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

**AMELIA WALL GREY OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

**AMELIA WALL WHITE OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

- **Dimension:** 260x110mm
- **S ovim artiklom dolazi led žarulja**




AMELIA WALL  
BLACK



AMELIA WALL  
GREY



AMELIA WALL  
WHITE




# AMELIA 250

**AMELIA 250 BLACK OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

**AMELIA 250 GREY OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

**AMELIA 250 WHITE OPAL** E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55

- **Dimension:** Ø100x250mm
- **S ovim artiklom dolazi led žarulja**



AMELIA 250  
BLACK



AMELIA 250  
GREY




AMELIA 250  
WHITE



# AMELIA 800

|                       |                                               |
|-----------------------|-----------------------------------------------|
| AMELIA 800 BLACK OPAL | E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55 |
| AMELIA 800 GREY OPAL  | E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55 |
| AMELIA 800 WHITE OPAL | E27, FILAMENT, LED, 8.5W, CCT/6W, 2700K, IP55 |

- Dimension: Ø100x800mm
- S ovim artiklom dolazi led žarulja



AMELIA 800  
WHITE



AMELIA 800  
BLACK



AMELIA 800  
GREY




## CARLO 800, 400, 250

**CARLO 800 BLACK** GU10, 6W, CCT, IP55


**CARLO 400 BLACK** GU10, 6W, CCT, IP55

**CARLO 250 BLACK** GU10, 6W, CCT, IP55


- S ovim artiklom dolazi led žarulja



CARLO 800



CARLO 400



CARLO 250



CARLO 250 BLACK



CARLO 400 BLACK




CARLO 800 BLACK

## CARLO-FS

**CARLO-FS** BLACK/CLEAR GU10 LED 6W CCT, IP55

- Dimension: 340x170mm
- S ovim artiklom dolazi led žarulja






# ESTER 500, 800

**ESTER 500** BLACK CLEAR GX53 LED 10W CCT, IP55

**ESTER 800** BLACK CLEAR GX53 LED 10W CCT, IP55

- S ovim artiklom dolazi led žarulja






## ELISA 800, 500

**ELISA 800 BLACK** GX53, 7W, CCT, IP55

**ELISA 500 BLACK** GX53, 7W, CCT, IP55

■ S ovim artiklom dolazi led žarulja



## SAURO 800

**SAURO 800 BLACK** GX53, 10W, CCT, IP55

■ S ovim artiklom dolazi led žarulja




ELISA 800 BLACK



ELISA 500 BLACK



SAURO 800 BLACK






# STEVEN

|                      |                            |
|----------------------|----------------------------|
| STEVEN BLACK FROSTED | G9, LED, 1.7W, 3000K, IP67 |
| STEVEN GREY FROSTED  | G9, LED, 1.7W, 3000K, IP67 |
| STEVEN WHITE FROSTED | G9, LED, 1.7W, 3000K, IP67 |

■ S ovim artiklom dolazi led žarulja



STEVEN BLACK

STEVEN GREY

STEVEN WHITE



# MINITOMMY EL SPIKE

|                                  |                               |
|----------------------------------|-------------------------------|
| MINITOMMY EL SPIKE BLACK FROSTED | GU10, LED, 6W, CCT, SET, IP66 |
| MINITOMMY EL SPIKE GREY FROSTED  | GU10, LED, 6W, CCT, SET, IP66 |

■ S ovim artiklom dolazi led žarulja



MINITOMMY EL SPIKE  
BLACK

MINITOMMY EL SPIKE  
GREY


# CECI

|                        |                                  |
|------------------------|----------------------------------|
| <b>CECI 90 GREY</b>    | GU10, LED, 3.5W, CCT/3000K, IP67 |
| <b>CECI 90 2L GREY</b> | POKROV                           |
| <b>CECI 90 3L GREY</b> | POKROV                           |
| <b>CECI 120 GREY</b>   | GX53, LED, 3W, 3000K/CCT, IP67   |
| <b>CECI 160 GREY</b>   | GX53, LED, 7W, 3000K/CCT, IP67   |

■ S ovim artiklom dolazi led žarulja



CECI 90 GREY




CECI 90

CECI 90 2L

CECI 90 3L



CECI 90 2L GREY



CECI 120

CECI 160



CECI 120 GREY



CECI 90 3L GREY




CECI 160 GREY

## BISSO/ANNA

**BISSO/ANNA WHITE CLEAR** E27, IP55

**BISSO/ANNA BLACK CLEAR** E27, IP55



BISSO/ANNA WHITE CLEAR



BISSO/ANNA BLACK CLEAR

## SICHEM/ANNA

**SICHEM/ANNA WHITE CLEAR** E27, IP55


**SICHEM/ANNA BLACK CLEAR** E27, IP55



SICHEM/ANNA BLACK CLEAR



SICHEM/ANNA WHITE CLEAR





# RICU BISSO/RUT

**RICU BISSO/RUT 3L BLACK CLEAR** E27, LED, 6W, 2700K, IP55

**RICU BISSO/RUT 3L WHITE CLEAR** E27, LED, 6W, 2700K, IP55


- S ovim artiklom dolazi led žarulja



RICU BISSO/RUT 3L BLACK CLEAR



RICU BISSO/RUT 3L WHITE CLEAR






# BISSO/GOLIA

**BISSO/GOLIA WHITE CLEAR** E27, IP55

**BISSO/GOLIA BLACK CLEAR** E27, IP55

■ S ovim artiklom dolazi led žarulja



BISSO/GOLIA WHITE CLEAR



BISSO/GOLIA BLACK CLEAR



RICU BISSO/GOLIA 3L  
WHITE CLEAR




RICU BISSO/GOLIA 3L  
BLACK CLEAR

## RICU BISSO/GOLIA 3L

**RICU BISSO/GOLIA 3L WHITE CLEAR** E27, LED, 6W, 2700K, IP55


**RICU BISSO/GOLIA 3L BLACK CLEAR** E27, LED, 6W, 2700K, IP55

■ S ovim artiklom dolazi led žarulja



## BISSO/G250


**BISSO/G250 OPAL** E27, IP55



BISSO/G250 OPAL

## SICHEM/G250

**SICHEM/G250 OPAL** E27, IP55




SICHEM/G250

## BISSO/MARY

**BISSO/MARY** BLACK/CLEAR E-27, IP55

**BISSO/MARY** WHITE/CLEAR E-27, IP55

■ **Dimension:** 255x430mm



BISSO/MARY BLACK/CLEAR



BISSO/MARY WHITE/CLEAR

## SICHEM/MARY

**SICHEM/MARY** BLACK/CLEAR E-27, IP55

**SICHEM/MARY** WHITE/CLEAR E-27, IP55


■ **Dimension:** 780x180mm



SICHEM/MARY WHITE/CLEAR



SICHEM/MARY BLACK/CLEAR



## SICHEM/NOEMI

**SICHEM/NOEMI** BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 1000x350mm


■ **S ovim artiklom dolazi led žarulja**

## OFIR/NOEMI


**OFIR/NOEMI** BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 630x400mm

■ **S ovim artiklom dolazi led žarulja**



OFIR/NOEMI BLACK



SICHEM/NOEMI  
BLACK

## OFIR/TOBIA

**OFIR/TOBIA** BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 620x390mm



OFIR/TOBIA BLACK

## SICHEM/TOBIA

**SICHEM/TOBIA** BLACK E-27, LED, 15W, CCT, IP55

■ **Dimension:** 1000x330mm



SICHEM/TOBIA BLACK



MIZAR/MARY BLACK

## MIZAR/MARY


**MIZAR/MARY** BLACK E-27, LED

**MIZAR/MARY** WHITE E-27, LED

■ **Dimension:** 180x1080mm



MIZAR/MARY WHITE






## MIZAR/RUT

**MIZAR/RUT** BLACK 6,5W, 2700K, IP55

**MIZAR/RUT** WHITE 6,5W, 2700K, IP55

- **Dimension:** 260x1150mm
- **S ovim artiklom dolazi led žarulja**



MIZAR/RUT BLACK


MIZAR/RUT WHITE

## MIZAR/GOLIA

**MIZAR/GOLIA** BLACK 6,5W, 2700K, IP55

**MIZAR/GOLIA** WHITE 6,5W, 2700K, IP55

- **Dimension:** 230x1100mm
- **S ovim artiklom dolazi led žarulja**



MIZAR/GOLIA WHITE



MIZAR/GOLIA BLACK




MADE IN  
ITALY



## TOP SELECTION PROJECT

IR Tuks

## DIFFUSER



NOEMI

TOBIA

ELIA

## MOGUĆE KOMBINACIJE:

**NEBO/NOEMI** POLE 2500

**NEBO/OFIR NOEMI 2L** POLE 2500

**NEBO/OFIR NOEMI 3L** POLE 2500

**NEBO/TOBIA** POLE 2500

**NEBO/OFIR TOBIA 2L** POLE 2500

**NEBO/OFIR TOBIA 3L** POLE 2500

**WALL ADAM/NOEMI**

**WALL ADAM/TOBIA**

**GIONA/ELIA** POLE 4000


**GIONA/ARON ELIA 2L** POLE 4000

**WALL ARON ELIA**


**GIONA/ELIA** POLE 5000

**GIONA/ARON ELIA 2L** POLE 5000


## POST TOP SYSTEM



OFIR SYSTEM 2L



OFIR SYSTEM 3L




ARON SYSTEM 2L

## POST



NEBO 2500



GIONA 4000




GIONA 5000

## WALL BRACKET



ADAM



ARON

# ADVANTAGES



ANTI CORROSION

NO MAINTENANCE



UV-RAYS STABILIZED



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZERS



FULLY MODULAR Ø60mm

## RESIN POST OF A SINGLE PIECE WITHOUT JOINTS

Stronger, safer and more  
durable



### INNER METAL POLE STRUCTURE


Structural metal pole  
hot deep galvanized  
inside and outside by  
zinc bath immersion.

### EXPANSE

High Density rigid  
polyurethane provides  
lightweight and  
durable cohesion  
between the inner  
metal post and the  
outer resin cover.

### OUTER RESIN COVER

Outer coating of a single  
piece without joints  
made of shockproof  
resin material:  
- Rust and corrosion-free  
- Paste molded colors, UV  
stabilized  
- Self-extinguishing on fire




# NOEMI



LAMP  
INCLUDED  
HIGH POWER  
LED E27

■ Dimension: 350x530mm




## NOEMI 50W HIGH POWER LED


| LAMP                                                                                                      | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | COLOUR<br>TEMPERATURE |
|-----------------------------------------------------------------------------------------------------------|-------|------------------------|----------------------|-----------------------|
| E27 HIGH POWER LED<br> | 50W   | 6550lm                 | 100-240V<br>50/60 Hz | 3000K                 |




# TOBIA




■ Dimension: 330x520mm





| TOBIA 50W HIGH POWER LED                                                                                |       |                     |                      |                    |
|---------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| LAMP                                                                                                    | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
| E27 HIGH POWER LED<br> | 50W   | 6550lm              | 100-240V<br>50/60 Hz | 3000K              |

# ELIA




■ Dimension: 330x520mm




| ELIA 60W HIGH POWER LED                                                                                   |       |                     |                      |                    |
|-----------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| LAMP                                                                                                      | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
| E27 HIGH POWER LED<br> | 60W   | 7600lm              | 100-240V<br>50/60 Hz | 3000K              |

## ADAM WALL BRACKET




suggested diffuser:  
NOEMI - TOBIA

## ADAM WALL BRACKET



suggested diffuser:  
ELIA


## OFIR SYSTEM 2L



suggested diffuser:  
NOEMI - TOBIA

Ø60


## OFIR SYSTEM 3L



suggested diffuser:  
NOEMI - TOBIA

Ø60



## OFIR SYSTEM 2L



suggested diffuser:  
ELIA



Ø60




NEBO


GIONA 4000

GIONA 5000


with door&box



with door&box



with door&box





NEBO/NOEMI 50W 3000K







NEBO/OFIR NOEMI 2L  
2x50W 3000K

WALL ADAM NOEMI  
50W 3000K



NEBO/OFIR NOEMI 3L 3x50W 3000K



IR Tuks

fumagalli  
SINCE 1973  
made in Italy

NEBO/TOBIA 50W 3000K



NEBO/OFIR TOBIA 2L  
2x50W 3000k






NEBO/ OFIR TOBIA 3L  
3x50W 3000K



WALL ADAM TOBIA  
50W 3000K



GIONA/ELIA  
60W 3000K



GIONA/ARON ELIA 2L  
2x50W 3000K




WALL ARON ELIA  
60W 3000K







## DIFFUSER




REMO 400




BEPPE 400



REMO 500



BEPPE 500




VIVI 400


### MOGUĆE KOMBINACIJE:

|                                               |           |
|-----------------------------------------------|-----------|
| <b>EKTOR/BEPPE 400</b>                        | POLE 3000 |
| <b>EKTOR/BEPPE 400</b>                        | POLE 4000 |
| <b>EKTOR/BEPPE 500</b>                        | POLE 4000 |
| <b>EKTOR/BEPPE 500</b>                        | POLE 5000 |
| <b>EKTOR/REMO 400</b>                         | POLE 3000 |
| <b>EKTOR/REMO 400</b>                         | POLE 4000 |
| <b>EKTOR/REMO 500</b>                         | POLE 4000 |
| <b>EKTOR/REMO 500</b>                         | POLE 5000 |
| <b>WALL MIDIPILAR/VIVI 400</b>                |           |
| <b>EKTOR/MIDIOILAR 1L VIVI 400</b>            | POLE 3000 |
| <b>EKTOR/MIDIOILAR 2L VIVI 400</b>            | POLE 3000 |
| <b>EKTOR/MIDIOILAR 1L VIVI 400</b>            | POLE 4000 |
| <b>EKTOR/MIDIOILAR 2L VIVI 400</b>            | POLE 4000 |
| <b>EKTOR/GIORGIO GREY 4XGX53 40W CCT</b>      | POLE 2500 |
| <b>EKTOR/GIORGIO BLACK 4XGX53 40W CCT</b>     | POLE 2500 |
| <b>EKTOR/BEPPE 400 GREY 4XGX53 50W 3000K</b>  | POLE 2500 |
| <b>EKTOR/BEPPE 400 BLACK 4XGX53 50W 3000K</b> | POLE 2500 |

## POST TOP SYSTEM



## POST



EKTOR 3000

EKTOR 4000

EKTOR 5000

# ADVANTAGES



ANTI CORROSION

NO MAINTENANCE



UV-RAYS STABILIZED



DOUBLE INSULATION



NOT AFFECTED BY CHEMICAL FERTILIZES



FULLY MODULAR Ø60mm

## RESIN POST OF A SINGLE PIECE WHITHOUT JOINTS

Stronger, safer and more  
durable

### INNER METAL POLE STRUCTURE

Structural metal pole  
hot deep galvanized  
inside and outside by  
zinc bath immersion.

### EXPANSE


High Density rigid  
polyurethane provides  
lightweight and  
durable cohesion  
between the inner  
metal post and the  
outer resin cover.

### OUTER RESIN COVER

Outer coating of a single  
piece without joints  
made of shockproof  
resin material:  
- Rust and corrosion-free  
- Paste molded colors, UV  
stabilized  
- Self-extinguishing on fire




■ Dimension: 480x715mm



E A T G


## REMO 400 HIGH POWER LED

| LAMP                                                                                                              | POWER | LUMINOUS FLUX<br>UP TO | VOLTAGE<br>RANGE     | COLOUR<br>TEMPERATURE |
|-------------------------------------------------------------------------------------------------------------------|-------|------------------------|----------------------|-----------------------|
| E27 HIGH POWER LED<br><br>Ø118 | 50W   | 6550lm                 | 100-240V<br>50/60 Hz | 3000K                 |

# BEPPE 400



■ Dimension: 480x680mm




| BEPPE 50W HIGH POWER LED                                                                                        |       |                     |                      |                    |
|-----------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| LAMP                                                                                                            | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
| E27 HIGH POWER LED<br><br>Ø118 | 50W   | 6550lm              | 100-240V<br>50/60 Hz | 3000K              |

# REMO 500



■ Dimension: 600x850mm




| REMO 60W HIGH POWER LED                                                                                           |       |                     |                      |                    |
|-------------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| LAMP                                                                                                              | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
| E27 HIGH POWER LED<br><br>Ø118 | 60W   | 7600lm              | 100-240V<br>50/60 Hz | 3000K              |


# BEPPE 500



■ Dimension: 600x850mm




## BEPPE 60W HIGH POWER LED

| LAMP                                                                                                            | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
|-----------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| E27 HIGH POWER LED<br><br>Ø118 | 60W   | 7600lm              | 100-240V<br>50/60 Hz | 3000K              |

# VIVI 400




■ Dimension: 480x420mm



## VIVI 50W HIGH POWER LED

| LAMP                                                                                                              | POWER | LUMINOUS FLUX UP TO | VOLTAGE RANGE        | COLOUR TEMPERATURE |
|-------------------------------------------------------------------------------------------------------------------|-------|---------------------|----------------------|--------------------|
| E27 HIGH POWER LED<br><br>Ø118 | 50W   | 6550lm              | 100-240V<br>50/60 Hz | 3000K              |





EKTOR 3000




EKTOR 4000

EKTOR 5000

with door&box


with door&box

with door&box




IR Luks

## MIDIPILAR WALL BRACKET



suggested diffuser:  
VIVI 400


## MIDIPILAR SYSTEM 1L



Ø60

suggested diffuser:  
VIVI 400

## MIDIPILAR SYSTEM 2L



Ø60

suggested diffuser:  
VIVI 400

# EKTOR 2500 GIORGIO 4xGX53 10W 40W CCT





EKTOR/BEPPE 400  
50W 3000K BLACK/GREY



EKTOR/BEPPE 500  
60W 3000K



EKTOR 2500/  
BEPPE 400  
4xGX53  
10W 40W CCT





EKTOR/REMO 500 60W  
3000K



EKTOR/REMO 400  
50W 3000K



EKTOR/MIDIPIRAR 1L VIVI 400 50W 3000K



EKTOR/MIDIPIRAR 2L VIVI 400  
2x50W 3000K



WALL MIDIPIRAR/VIVI 400  
50W 3000K





GX53 3W



GX53 10W



E-27 50W



ŽARULJE

GX53 3W/CCT

GX53 7W/CCT

GX53 10W/CCT

R7S 7.5W/CCT

E-27 50W, 3000K

GX53 7W



R7S 7,5W



91211 E-27  
91211 CCT

|       |       |                                     |   |             |
|-------|-------|-------------------------------------|---|-------------|
| 91211 | GREY  | 15W, E27, Aluminium and PC diffuser | E | A<br>T<br>G |
| 91211 | WHITE | 15W, E27, Aluminium and PC diffuser |   |             |
| 91211 | GREY  | LED CCT, Aluminium and PC diffuser  | E | A<br>T<br>G |
| 91211 | WHITE | LED CCT, Aluminium and PC diffuser  | E | A<br>T<br>G |

▪ Dimension: 175x145x100mm



91211 GREY



91211 WHITE



91218 E-27  
91218 CCT

|       |       |                                     |   |             |
|-------|-------|-------------------------------------|---|-------------|
| 91218 | GREY  | 18W, E27, Aluminium and PC diffuser | E | A<br>T<br>G |
| 91218 | WHITE | 18W, E27, Aluminium and PC diffuser |   |             |
| 91218 | GREY  | LED CCT, Aluminium and PC diffuser  | E | A<br>T<br>G |
| 91218 | WHITE | LED CCT, Aluminium and PC diffuser  | E | A<br>T<br>G |

▪ Dimension: 290x145x100mm



91218 GREY



91218 WHITE





91215 E-27  
91215 CCT

|       |       |                                     |                  |
|-------|-------|-------------------------------------|------------------|
| 91215 | GREY  | 18W, E27, Aluminium and PC diffuser | E<br>A<br>T<br>G |
| 91215 | WHITE | 18W, E27, Aluminium and PC diffuser |                  |
| 91215 | GREY  | LED CCT, Aluminium and PC diffuser  | E<br>A<br>T<br>G |
| 91215 | WHITE | LED CCT, Aluminium and PC diffuser  |                  |

■ Dimension: 290x145x100mm



91215 GREY



91215 WHITE



91217 E-27  
91217 CCT

|       |       |                                     |                  |
|-------|-------|-------------------------------------|------------------|
| 91217 | GREY  | 18W, E27, Aluminium and PC diffuser | E<br>A<br>T<br>G |
| 91217 | WHITE | 18W, E27, Aluminium and PC diffuser |                  |
| 91217 | GREY  | LED CCT, Aluminium and PC diffuser  | E<br>A<br>T<br>G |
| 91217 | WHITE | LED CCT, Aluminium and PC diffuser  |                  |

■ Dimension: 290x145x100mm



91217 GREY



91217 WHITE



**LED-BL-MY2S14XA1**

- **Dimension:** Ø215x80mm

**LED-BL-MT1S14XA1**

- **Dimension:** 212x119x60,5mm

**LED-BL-MY2S14XA2**

- **Dimension:** Ø215x80mm

**LED-BL-MY2S14DA1-B8 PIR SENSOR**

- **Dimension:** Ø215x80mm

**LED-BL-MT1S14DA1-B8-PIR SENSOR**

- **Dimension:** 212x119x60,5mm

**LED-BL-MY2S14DA2-B8 PIR SENSOR**

- **Dimension:** Ø215x80mm

AC220-240V, 14W, 4000K, 1000Lm, IP54, 120°, 71,4 lm/W



LED-BL-MY2S14XA1



LED-BL-MT1S14XA1



LED-BL-MY2S14XA2



LED-BL-MY2S14DA1-B8 PIR  
SENSOR



LED-BL-MT1S14DA1-B8 PIR  
SENSOR



LED-BL-MY2S14DA2-B8 PIR  
SENSOR

## LED-BL-MT1S14XA1



**LED-BL-MT1S14XA1** OVAL, WHITE AC220-240V, 14W,4000K,1000lm, IP54

**LED-BL-MT1S14XA1** OVAL, LIGHT GREY AC220-240V, 14W,4000K,1000lm, IP54

■ **Dimension:** 212\*119\*60.5mm



LED-BL-MT1S14XA1  
WHITE



LED-BL-MT1S14XA1  
LIGHT GREY



## LED-BL-MY2S14XA1



**LED-BL-MY2S14XA1** ROUND, WHITE AC220-240V, 14W,4000K,1000lm, IP54

**LED-BL-MY2S14XA1** ROUND, LIGHT GREY AC220-240V, 14W,4000K,1000lm, IP54

■ **Dimension:** Ø215\*80mm



LED-BL-MY2S14XA1  
LIGHT GREY

## LED-BL-MY2S14XA2



**LED-BL-MY2S14XA2** ROUND, HALF COVERED, WHITE AC220-240V, 14W,4000K,1000lm, IP54

**LED-BL-MY2S14XA2** ROUND, HALF COVERED LIGHT GREY AC220-240V, 14W,4000K,1000lm, IP54

■ **Dimension:** Ø215\*80mm



LED-BL-MY2S14XA2 LIGHT GREY



LED-BL-MY2S14XA2 WHITE



LED-BL-MY2S14XA1  
WHITE

# LED-BL-HT1/2/3W14-C3



|                         |             |                                                       |
|-------------------------|-------------|-------------------------------------------------------|
| <b>LED-BL-HT1W14-C3</b> | OVAL, WHITE | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HT2W14-C3</b> | OVAL, WHITE | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HT3W14-C3</b> | OVAL, WHITE | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HT1W14-C3</b> | OVAL, BLACK | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HT2W14-C3</b> | OVAL, BLACK | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HT3W14-C3</b> | OVAL, BLACK | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |

■ **Dimension:** 204\*107\*57mm



LED-BL-HT1W14-C3 OVAL WHITE



LED-BL-HT1W14-C3 OVAL BLACK



LED-BL-HT2W14-C3 OVAL WHITE



LED-BL-HT2W14-C3 OVAL BLACK



LED-BL-HT3W14-C3 OVAL WHITE



LED-BL-HT3W14-C3 OVAL BLACK



# LED-BL-HY1/2W14-C3



|                         |              |                                                       |
|-------------------------|--------------|-------------------------------------------------------|
| <b>LED-BL-HY1W14-C3</b> | ROUND WHITE  | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HY2W14-C3</b> | ROUND, WHITE | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HY1W14-C3</b> | ROUND, BLACK | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |
| <b>LED-BL-HY2W14-C3</b> | ROUND, BLACK | AC220-240V, 14W, 1200lm, IP54, 3000/4000/6500K, 3XCCT |

■ **Dimension:** 233\*233\*60.5mm



LED-BL-HY1W14-C3 ROUND WHITE



LED-BL-HY2W14-C3 ROUND WHITE



LED-BL-HY2W14-C3 ROUND BLACK





LED-BL-HY1W14-C3 ROUND BLACK



# PRIMO

|                |                 |          |
|----------------|-----------------|----------|
| PRIMO WHITE    | 26W TC-D G24d-3 | E-27 60W |
| PRIMO GRAPHITE | 26W TC-D G24d-3 | E-27 60W |
| PRIMO BLACK    | 26W TC-D G24d-3 |          |

IK10  IP65  



PRIMO WHITE



PRIMO BLACK





PRIMO GRAPHITE

# DUETT

|                |          |
|----------------|----------|
| DUETT WHITE    | E-27 60W |
| DUETT GRAPHITE | E-27 60W |
| DUETT GRAPHITE | E-27 60W |

IK10  IP65



DUETT WHITE



DUETT GRAPHITE



DUETT BLACK





# TARDO

**TARDO WHITE** 26W TC-D G24d-3 E-27 60W

**TARDO GRAPHITE** E-27 60W

**IK10**  **IP65**



TARDO WHITE





TARDO GRAPHITE

# DISCOS

**DISCOS WHITE** 2x26W TC-D G24d-3 E-27 60W

**DISCOS GRAPHITE** E-27 60W

**IP65** **IK10** 



DISCOS WHITE





DISCOS GRAPHITE

# CANTO

**CANTO WHITE** 2x26W TC-D G24d-3 E-27 60W

**CANTO GRAPHITE** 2x26W TC-D G24d-3 E-27 60W

**IK10**  **IP65**



CANTO WHITE



CANTO GRAPHITE



# LINK

**LINK WHITE**      2x26W TC-D G24d-3      E-27 60W

**LINK GRAPHITE**      2x26W TC-D G24d-3      E-27 60W



**IP65 IK10** 



LINK WHITE



LINK GRAPHITE



# SIDEWALK

**SIDEWALK WHITE**      2x26W TC-D G24d-3      E-27 60W

**SIDEWALK GRAPHITE**      E-27 60W



**IP65 IK10** 



SIDEWALK WHITE



SIDEWALK GRAPHITE





## P2582-2

**P2582-2** WHITE E27, 2\*18W, IP54

**P2582-2** DARK GREY E27, 2\*18W, IP54

■ **Dimension:** Ø300x91mm



P2582-2 WHITE



P2582-2 DARK GREY



SR26001



SR26001A

## SR26001/SR26001A



**SR26001** DARK GREY LED 12W, IP54, 4000K, 840lm

**SR26001A** DARK GREY LED 12W, IP54, 4000K, 840lm

■ **Dimension:** Ø169x100mm

## SR26002/SR26002A



**SR26002** DARK GREY LED 12W, IP54, 4000K, 840lm

**SR26002A** DARK GREY LED 12W, IP54, 4000K, 840lm

■ **Dimension:** 160x160x100mm



SR26002



SR26002A



## XK1001, XK1002

**XK1001** WHITE IP54, GU10

**XK1001** ANTRACITE IP54, GU10

▪ **Dimension:** 85x85x66mm

**XK1002** WHITE IP54, GU10

**XK1002** ANTRACITE IP54, GU10

▪ **Dimension:** Ø90x62mm



XK1001 WHITE



XK1001 ANTRACITE



XK1002 WHITE



XK1002 ANTRACITE



SR2004D



SR2004S

## SR2004D



**SR2004D** DARK GREY LED 10W, IP54, 3000K, 220-240V

▪ **Dimension:** Ø108x80mm

## SR2004S



**SR2004S** DARK GREY LED 10W, IP54, 3000K, 220-240V

▪ **Dimension:** 108x108x80mm

## CDR06077



**CDR06077** ALU DARK GREY IP54, 240V, COB LED, 10W, 3000K

▪ **Dimension:** Ø82x128mm



CDR06077 ALU DARK GREY

# CDR020401, CDR020402



**CDR020401**    DARK GREY    3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

■ **Dimension:** Ø200x45mm

**CDR020402**    DARK GREY    3000K, IP54, 240V, SMD LEDS, 10W, PC DIFFUSER

■ **Dimension:** 200x200x45mm



CDR020401



CDR020402



## WM001

**WM001** DARK GREY ANTRACITE IP65, GU10 MAX 50W

**WM001** WHITE IP65, GU10 MAX 50W

■ **Dimension:** 108xØ63x95mm



WM001 DARK GREY  
ANTRACITE

WM001 WHITE



## WM002

**WM002** DARK GREY ANTRACITE IP65, GU10, 2xMAX 35W

**WM002** WHITE IP65, GU10, 2xMAX 35W

■ **Dimension:** 177xØ63x95mm




WM002 DARK GREY  
ANTRACITE

WM002 WHITE

## CDR020451

**CDR020451** ANTRACITE GREY IP65, 240V, GU10, MAX 35W

■ 500mm long aluminium tube



CDR020451




# CDR020204

# CDR020204S




**CDR020204** ALU DARK GREY IP54, 240V, 2x6W, 3000K

**CDR020204S** ALU DARK GREY IP54, 240V, 6W, 3000K



CDR020204




CDR020204S

## WM051

**WM051** DARK GREY ANTRACITE IP54, GU10, MAX 50W

**WM051** WHITE IP54, GU10, MAX 50W



WM051 DARK GREY ANTRACITE




WM051 WHITE

## WM052

**WM052** DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

**WM052** WHITE IP54, GU10, 2xMAX 35W



WM052 DARK GREY ANTRACITE




WM052 WHITE



## WM053

**WM053** DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

**WM053** WHITE IP54, GU10, 2xMAX 35W



WM053 DARK GREY ANTRACITE




WM053 WHITE

## WM055

**WM055** DARK GREY ANTRACITE IP54, GU10, 2xMAX 35W

**WM055** WHITE IP54, GU10, 2xMAX 35W



WM055 DARK GREY ANTRACITE




WM055 WHITE



# WM042

|              |                     |                     |
|--------------|---------------------|---------------------|
| <b>WM042</b> | DARK GREY ANTRACITE | IP54, GU10, MAX 50W |
| <b>WM042</b> | MATT WHITE WHITE    | IP54, GU10, MAX 50W |




WM042 DARK GREY ANTRACITE



WM042 WHITE

# WM043

|              |                     |                       |
|--------------|---------------------|-----------------------|
| <b>WM043</b> | DARK GREY ANTRACITE | IP54, GU10, 2xMAX 35W |
| <b>WM043</b> | MATT WHITE WHITE    | IP54, GU10, 2xMAX 35W |



WM043 DARK GREY ANTRACITE



WM043 WHITE



## SR60048

**SR60048 BLACK** E27

- **Dimension:** Ø150x160mm, 600mm CHAIN



SR60048 BLACK

## CDR020291

**CDR020291** BLACK IP44, 240V, E27, MAX 60W

- **Dimension:** 110x125x235mm
- STAINLESS STEEL BODY IN POWDER COATED FINISH
- GLASS



CDR020291

## SR60049

**SR60049 BLACK** E27

- **Dimension:** Ø110x400x145mm



SR60049 BLACK

## SR60159

**SR60159 BLACK** E27

- **Dimension:** Ø90x250x120mm



SR60159 BLACK

## SR60047

**SR60047 BLACK** E27

- **Dimension:** Ø200x190x250mm



SR60047 BLACK



## CDR020261

**CDR020261** ALU DARK GREY IP54, 240V, SMD LEDS, 2x5W, 3000K

■ **Dimension:** 195x110x54mm



CDR020261 ALU DARK GREY

## SR9401

**SR9401** DARK GREY IP65, LED 2x3W, 3000K

■ **Dimension:** 178x28x90mm



SR9401

## SR2304S

**SR2304S** DARK GREY IP65, LED 6W, 3000K

■ **Dimension:** 140x140x50,5mm



SR2304S




## CDR020021



**CDR020021** BLACK IP54, 240V, COB LED, 6W

**CDR020021** WHITE IP54, 240V, COB LED, 6W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- TEMPERED FROSTED GLASS
- TUV APPROVED LED DRIVER, TRI-CCT OF 3000K, 4000K AND 5000K
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 41x143mmx180mm



CDR020021 BLACK



CDR020021 WHITE


## CDR020022



**CDR020022** BLACK IP54, 240V, COB LED, 2x6W

**CDR020022** WHITE IP54, 240V, COB LED, 2x6W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- TEMPERED FROSTED GLASS
- TUV APPROVED LED DRIVER, TRI-CCT OF 3000K, 4000K AND 5000K
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 41x143mmx230mm



CDR020022 BLACK



CDR020022 WHITE




## CDR020421



**CDR020421** BLACK IP54, 240V, SMD LEDS, 3W

**CDR020421** WHITE IP54, 240V, SMD LEDS, 3W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 25x90mmx110mm



CDR020421 BLACK



CDR020421 WHITE



CDR020411 BLACK



CDR020411 WHITE


## CDR020411



**CDR020411** BLACK IP54, 240V, SMD LEDS, 2x3W

**CDR020411** WHITE IP54, 240V, SMD LEDS, 2x3W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 25x90mmx110mm




## CDR020441



**CDR020441** BLACK IP54, 240V, SMD LEDS, 5W

**CDR020441** WHITE IP54, 240V, SMD LEDS, 5W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 28x85mmx170mm



CDR020441 BLACK



CDR020441 WHITE


## CDR020431




**CDR020431** BLACK IP54, 240V, SMD LEDS, 2x5W

**CDR020431** WHITE IP54, 240V, SMD LEDS, 2x5W

- DIE CASTING ALUMINIUM BODY IN POWDER COATED FINISH
- PC
- TUV APPROVED LED DRIVER
- WHITE BOX PACKAGE-PRODUCT LABEL
- **Dimension:** 28x85mmx170mm



CDR020431 BLACK



CDR020431 WHITE



LED 90002D GREY



LED 90002D MATT WHITE

## LED 90002D



**LED 90002D** GREY 2x3W, 100-240V IP54, 3000K

**LED 90002D** MATT WHITE 2x3W, 100-240V IP54, 3000K

▪ **Dimension:** 80\*80\*80mm

## JR701A



**JR701A** GREY 2x3W, 100-240V IP65, 3000K

▪ **Dimension:** 100\*100\*93mm



JR701A GREY

## JR701B



**JR701B** GREY 4x3W, 100-240V IP65, 3000K

▪ **Dimension:** 100\*100\*94mm



JR701B GREY

## LF-372528S



**LF-372528S** GREY 5W, 220-240V, IP54, 3000K

**LF-372528S** MATT WHITE 5W, 220-240V, IP54, 3000K

▪ **Dimension:** 160\*65\*80mm



LF-372528S MATT WHITE



LF-372528S GREY



## SR170



**SR170** DARK GREY ANTRACITE IP54, LED 230V, 6W, 3000K, Aluminium

**SR170** WHITE IP54, LED 230V, 6W, 3000K, Aluminium

■ **Dimension:** 130x30x60mm



SR170 DARK GREY ANTRACITE



SR170 WHITE

## SR171



**SR171** DARK GREY ANTRACITE IP54, LED 230V, 12W, 3000K, Aluminium

**SR171** WHITE IP54, LED 230V, 12W, 3000K, Aluminium

■ **Dimension:** 220x30x70mm



SR171 DARK GREY ANTRACITE



SR171 WHITE



SR1601L DARK GREY ANTRACITE



SR1601L WHITE

## SR1601L



**SR1601L** DARK GREY ANTRACITE IP54, LED 230V, 6W, 3000K, Aluminium

**SR1601L** WHITE IP54, LED 230V, 6W, 3000K, Aluminium

■ **Dimension:** 170x60x70mm



SR181 WHITE



SR181 ANTRACITE

## SR181



**SR181** ANTRACITE IP54, AC220-240V, 3,5W, 3000K

**SR181** WHITE IP54, AC220-240V, 3,5W, 3000K

■ **Dimension:** 130x55x30mm

# SR8302



|               |                |                                                      |
|---------------|----------------|------------------------------------------------------|
| <b>SR8302</b> | ANTRACITE GREY | ABS BODY, ALUMINIUM COVER, 220-240V, 2W, IP54, 3000K |
| <b>SR8302</b> | MATT WHITE     | ABS BODY, ALUMINIUM COVER, 220-240V, 2W, IP54, 3000K |

- **Dimension:** 90x90x60mm
- **Dolazi s kutijom za ugradnju**



SR8302 ANTRACITE GREY



SR8302 MATT WHITE



SR8301A ANTRACITE GREY



SR8301A MATT WHITE

# SR8301A



|                |                |                                                               |
|----------------|----------------|---------------------------------------------------------------|
| <b>SR8301A</b> | ANTRACITE GREY | ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K |
| <b>SR8301A</b> | MATT WHITE     | ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K |

- **Dimension:** 140x78x45mm
- **Ugradnja u kutiju 4 modula**

# SR8301B



|                |                |                                                               |
|----------------|----------------|---------------------------------------------------------------|
| <b>SR8301B</b> | ANTRACITE GREY | ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K |
| <b>SR8301B</b> | MATT WHITE     | ABS BODY, ALUMINIUM COVER, 220-240V, 1.5W, 120lm, IP54, 3000K |

- **Dimension:** 140x78x45mm
- **Ugradnja u kutiju 4 modula**



SR8301B  
ANTRACITE GREY



SR8301B  
MATT WHITE

# P1101



|              |               |                                                            |
|--------------|---------------|------------------------------------------------------------|
| <b>P1101</b> | SILVER SIVA   | 230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 1.5W, CCT   |
| <b>P1101</b> | ANTRACIT SIVA | 230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 4000K, 1.5W |
| <b>P1101</b> | MAT BIJELA    | 230V/AC, IP44 CLAS II, 100Lm, 3014 LED 20 PCS, 1.5W, CCT   |

- **Dimension:** Ø150x27mm
- **Material:** PC + ABS & PC diffuse



P1101 SILVER SIVA



P1101 ANTRACIT SIVA



P1101 MAT BIJELA

# P1201



|              |               |                                                         |
|--------------|---------------|---------------------------------------------------------|
| <b>P1201</b> | SILVER SIVA   | 230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT |
| <b>P1201</b> | ANTRACIT SIVA | 230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT |
| <b>P1201</b> | MAT BIJELA    | 230V/AC, IP44 CLAS II, 80Lm, 3014 LED 16 PCS, 1.5W, CCT |

- **Dimension:** 125x125x27mm
- **Material:** PC + ABS & PC diffuser



P1201 SILVER SIVA



P1201 ANTRACIT SIVA



P1201 MAT BIJELA




# P1502



|       |               |                                                        |
|-------|---------------|--------------------------------------------------------|
| P1502 | SILVER SIVA   | 230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W |
| P1502 | ANTRACIT SIVA | 230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W |
| P1502 | MAT BIJELA    | 230V/AC, IP44 CLAS II, 160Lm, 3014 LED 35 PCS, CCT, 2W |

- **Dimension:** 230x80x27mm
- **Material:** PC + ABS & PC diffuser



P1502 SILVER SIVA



P1502 ANTRACIT SIVA



P1502 MAT BIJELA

# P1501



|       |           |                            |
|-------|-----------|----------------------------|
| P1501 | ANTRACITE | 230V, 3000K/CCT, 2W, 160lm |
| P1501 | WHITE     | 230V, CCT, 2W, 160lm       |

- **Dimension:** 230x80x27mm



P1501 ANTRACITE



P1501 WHITE



## LED-IP65-SMD-SPOT LIGHT

**LED-IP65-SMD-SPOT LIGHT** 3000K

**LED-IP65-SMD-SPOT LIGHT** 4000K

■ **Dimension:** Ø90x50mm RUPA ZA BUŠENJE: Ø70mm



LED-IP65-SMD SPOT LIGHT

## CDR040027 S/S316+ALU

**CDR040027 S/S316+ALU** IP66, 240V, GU10, MAX 35W

■ **Dimension:** Ø120x140mm



CDR040027 S/S316+ALU

## WM075

**WM075** MAT WHITE GU10, IP65

**WM075** DARK GREY/ANTRACITE GU10, IP65

■ **Dimension:** Ø63x108mm



WM075 MAT WHITE



WM075 DARK GREY/  
ANTRACITE



GL11602, GL11604, GL11607



|                               |                |                     |
|-------------------------------|----------------|---------------------|
| <b>GL11602</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 125x800mm |                |                     |
| <b>GL11604</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 170x200mm |                |                     |
| <b>GL11607</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 125x500mm |                |                     |



GL11604



GL11607



GL11602

GL11206, GL11204, GL11205



|                               |                |                     |
|-------------------------------|----------------|---------------------|
| <b>GL11206</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 170x200mm |                |                     |
| <b>GL11204</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 125x500mm |                |                     |
| <b>GL11205</b>                | ANTRACITE GREY | LED 6W, IP54, 4000K |
| ▪ <b>Dimension:</b> 125x800mm |                |                     |



GL11206



GL11204



GL11205

# GL12401, GL12402, GL12403, GL12404

|                                   |                |                    |
|-----------------------------------|----------------|--------------------|
| <b>GL12401</b>                    | ANTRACITE GREY | E27, MAX 60W, IP54 |
| ▪ <b>Dimension:</b> 120x120x300mm |                |                    |
| <b>GL12402</b>                    | ANTRACITE GREY | E27, MAX 60W, IP54 |
| ▪ <b>Dimension:</b> 120x120x500mm |                |                    |
| <b>GL12403</b>                    | ANTRACITE GREY | E27, MAX 60W, IP54 |
| ▪ <b>Dimension:</b> 120x120x800mm |                |                    |
| <b>GL12404</b>                    | ANTRACITE GREY | E27, MAX 60W, IP54 |
| ▪ <b>Dimension:</b> 120x120x250mm |                |                    |



GL12404



GL12401



GL12402



GL12403



# GL11307, GL11306, GL11305

|                               |                |                    |
|-------------------------------|----------------|--------------------|
| <b>GL11307</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 170x200mm |                |                    |
| <b>GL11306</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 125x800mm |                |                    |
| <b>GL11305</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 125x500mm |                |                    |



GL11307



GL11305



GL11306

# GL11402, GL11403, GL11404

|                               |                |                    |
|-------------------------------|----------------|--------------------|
| <b>GL11402</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 175x500mm |                |                    |
| <b>GL11403</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 175x800mm |                |                    |
| <b>GL11404</b>                | ANTRACITE GREY | E27, 23W MAX, IP54 |
| ▪ <b>Dimension:</b> 170x200mm |                |                    |



GL11404



GL11402



GL11403





## LED-FL1A



**LED-FL1A10Y** AC220-240V, 10W, 4000K, 900lm, DF>0.5, IP65

**LED-FL1A20Y** AC220-240V, 20W, 4000K, 1800lm, DF>0.5, IP65

- **Dimension:** š=135mm v=105mm d=50mm

**LED-FL1A30Y** AC220-240V, 30W, 4000K, 2700lm, DF>0.5, IP65

- **Dimension:** š=175mm v=140mm d=60mm

**LED-FL1A50Y** AC220-240V, 50W, 4000K, 4500lm, DF>0.5, IP65

- **Dimension:** š=200mm v=160mm d=60mm



LED-BLS-FL-10W



LED-BLS-FL-20W



LED-BLS-FL-30W



LED-BLS-FL-50W

## ST61



**ST61** 220-240V/AC, 30W, 50/60Hz, IP65

- **Dimension:** š=200mm v=230mm d=150mm



ST61

## LED-FL1A-S1 SENSOR



**LED-FL1A10Y-S1** AC220-240V, 10W, 4000K, 900lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=120mm v=130mm d=60mm

**LED-FL1A20Y-S1** AC220-240V, 20W, 4000K, 1800lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=135mm v=140mm d=60mm

**LED-FL1A30Y-S1** AC220-240V, 30W, 4000K, 2700lm, DF>0.5, IP54

- **WITH SENSOR**
- **Dimension:** š=175mm v=175mm d=60mm



LED-BLS-FL-10W-PIR



LED-BLS-FL-20W-PIR



LED-BLS-FL-30W-PIR

# LED-BLS-FL

|                                  |                                       |
|----------------------------------|---------------------------------------|
| <b>LED-BLS-FL 10W</b>            | 4000K, 800lm, IP65, Led qty:15, IP65  |
| ▪ <b>Dimension:</b> 115x106x35mm |                                       |
| <b>LED-BLS-FL 20W</b>            | 4000K, 1600lm, IP65, Led qty:28, IP65 |
| ▪ <b>Dimension:</b> 145x127x35mm |                                       |
| <b>LED-BLS-FL 30W</b>            | 4000K, 2400lm, IP65, Led qty:42, IP65 |
| ▪ <b>Dimension:</b> 185x175x40mm |                                       |
| <b>LED-BLS-FL 50W</b>            | 4000K, 4000lm, IP65, Led qty:56, IP65 |
| ▪ <b>Dimension:</b> 210x203x45mm |                                       |

TUV CE, RoHS, LED Floodlight with glass surface,  
Die-cast aluminium hosting, Tempered glass  
with H05RN-3G 1.00mm² rubble cable, 15cm

- CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W



LED-BLS-FL-20W



LED-BLS-FL-30W



LED-BLS-FL-50W

# LED-BLS-FL-PIR

|                                  |                                       |
|----------------------------------|---------------------------------------|
| <b>LED-BLS-FL 10W PIR</b>        | 4000K, 800lm, IP65, Led qty:15, IP65  |
| ▪ <b>Dimension:</b> 119x158x43mm |                                       |
| <b>LED-BLS-FL 20W PIR</b>        | 4000K, 1600lm, IP65, Led qty:28, IP65 |
| ▪ <b>Dimension:</b> 146x173x44mm |                                       |
| <b>LED-BLS-FL 30W PIR</b>        | 4000K, 2400lm, IP65, Led qty:42, IP65 |
| ▪ <b>Dimension:</b> 185x197x45mm |                                       |
| <b>LED-BLS-FL 50W PIR</b>        | 4000K, 4000lm, IP65, Led qty:56, IP65 |
| ▪ <b>Dimension:</b> 207x228x55mm |                                       |

TUV CE, RoHS, LED Floodlight with glass surface,  
Die-cast aluminium hosting, Tempered glass  
with H05RN-3G 1.00mm² rubble cable, 15cm

- CRI (Ra): 80, Lm/W:80, LED SMD2835, Beam angle: 120°



LED-BLS-FL-10W-PIR



LED-BLS-FL-20W-PIR



LED-BLS-FL-30W-PIR



LED-BLS-FL-50W-PIR

## LED-TBE



**TBE10WSX** IP65, 10W, 4000K, 1000lm, AC220-240V

▪ **Dimension:** 101x95x21mm

**TBE20WSX** IP65, 20W, 4000K, 2000lm, AC220-240V

▪ **Dimension:** 122x114x21mm

**TBE30WSX** IP65, 30W, 4000K, 3000lm, AC220-240V

▪ **Dimension:** 144x129x25mm

**TBE50WSX** IP65, 50W, 4000K, 5000lm, AC220-240V

▪ **Dimension:** 184x160x25mm

- CRI (Ra): 80, Lm/W:100, LED SMD2835, Beam angle: 110°
- CE, RoHS, ERP  
LED Floodlight  
Die-cast aluminum housing+tempered glass diffuser  
With H05RN-F 3G 1.00mm<sup>2</sup> rubber cable, 15cm



TBE10WSX



TBE20WSX



TBE30WSX



TBE50WSX



TBE10WSX-B17



TBE20WSX-B17



TBE30WSX-B17



TBE50WSX-B17

## LED-TBE-PIR



**TBE10WSX-B17** IP65, 10W, 4000K, 1000lm, AC220-240V

▪ **Dimension:** 101x116x47mm

**TBE20WSX-B17** IP65, 20W, 4000K, 2000lm, AC220-240V

▪ **Dimension:** 122x131x47mm

**TBE30WSX-B17** IP65, 30W, 4000K, 3000lm, AC220-240V

▪ **Dimension:** 144x184x47mm

**TBE50WSX-B17** IP65, 50W, 4000K, 5000lm, AC220-240V

▪ **Dimension:** 184x215x47mm

- CRI (Ra): 80, Lm/W:100, LED SMD2835, Beam angle: 110°
- with PIR sensor, detection distance 4-10m  
duty time 10s-10min, 10-2000lx adjustable

# SD-F012-SMD



**SD-F012-SMD-50W** 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

■ **Dimension:** 250x210x60mm

**SD-F012-SMD-100W** 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

■ **Dimension:** 295x255x80mm

**SD-F012-SMD-150W** 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz

■ **Dimension:** 360x310x85mm

**SD-F012-SMD-200W** 4000K, 120/140lm/Wlm, 120°, SMD5730 Epistar, 85-265V/50-60Hz





# LED-WORK LIGHT

|                                       |                                            |      |
|---------------------------------------|--------------------------------------------|------|
| LED-WORK LIGHT-BL2S50A1-E1            | AC220-240V, 50W, 4000K, 4000lm, PF>0.9     | EATG |
| LED-WORK LIGHT-BL2S50A1-E2            | AC220-240V, 2x50W, 4000K, 2x4000lm, PF>0.9 |      |
| LED WORK LIGHT-TBC220SX-D5-AC230V-20W | 20W-4000K-2000Lm-DF>0.7-IP65               | EATG |
| ▪ Dimension: 200x226x54mm             |                                            |      |
| LED WORK LIGHT-TBC250SX-D5-AC230V-50W | 50W-4000K-5000Lm-DF>0.9-IP65               | EATG |
| ▪ Dimension: 255x279x54mm             |                                            |      |



LED-WORK LIGHT-BL2S50A1-E1



LED-WORK LIGHT-BL2S50A1-E2



LED WORK LIGHT 20W



LED WORK LIGHT 50W



LED-CL8 ROUND



LED-CL8 SQUARE

## LED-CL8

**LED-CL8-D220-AC220-240V-12W-4000K-1080Lm-ROUND-IP44**

■ **Dimension:** Ø220x42mm



**LED-CL8-D280-AC220-240V-18W-4000K-1500Lm-ROUND-IP44**

■ **Dimension:** Ø280x42mm



**LED-CL8-D330-AC220-240V-30W-4000K-2700Lm-ROUND-IP44**

■ **Dimension:** Ø330x42mm



**LED-CL8-D220-AC220-240V-12W-4000K-1080Lm-SQUARE-IP44**

■ **Dimension:** 220x220x42mm



**LED-CL8-D280-AC220-240V-18W-4000K-1620Lm-SQUARE-IP44**

■ **Dimension:** 280x280x42mm



## LED-FLOODLIGHT RGB

**LED-FL1A10Y-AC220-240V-10W-RGB-IP65**

■ **Dimension:** 120x90x50mm

**LED-FL1A30Y-AC220-240V-30W-RGB-IP65**

■ **Dimension:** 135x105x50mm



# SD-ST008

**SD-ST008-40W** 220/240V, PF: >0.9, 4000K, 80x140°, IP65

■ **Dimension:** 350x115x52mm

**SD-ST008-60W** 220/240V, PF: >0.9, 4000K, 80x140°, IP65

■ **Dimension:** 430x150x62mm

**SD-ST008-90W** 220/240V, PF: >0.9, 4000K, 80x140°, IP65

■ **Dimension:** 450x150x62mm

**SD-ST008-120W** 220/240V, PF: >0.9, 4000K, 80x140°, IP65

■ **Dimension:** 565x180x72mm



SD-ST008-40W



SD-ST008-60W



SD-ST008-120W



SD-ST008-90W



# TANGO BLACK IP66 0,8W

**TANGO BLACK IP66 0,8W** WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO BLACK IP66 0,8W

# TANGO SHORT BLACK IP66 0,8W

**TANGO SHORT BLACK IP66 0,8W** WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT BLACK IP66 0,8W

# RUEDA BLACK IP66 0,8W

**RUEDA BLACK IP66 0,8W** WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA BLACK IP66 0,8W

# RUEDA SHORT BLACK IP66 0,8W

**RUEDA SHORT BLACK IP66 0,8W** WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT BLACK IP66 0,8W



## TANGO WHITE IP66 0,8W

### TANGO WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO WHITE IP66 0,8W

## TANGO SHORT WHITE IP66 0,8W

### TANGO SHORT WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT WHITE IP66 0,8W

## RUEDA WHITE IP66 0,8W

### RUEDA WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA WHITE IP66 0,8W

## RUEDA SHORT WHITE IP66 0,8W

### RUEDA SHORT WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT WHITE IP66 0,8W

# TANGO STAINLESS STEEL 0,8W

## TANGO STAINLESS STEEL 0,8W

WALL LED LIGHT

- **Dimension:** 73x73x10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO STAINLESS STEEL 0,8W

# TANGO SHORT STAINLESS STEEL IP56 0,8W

## TANGO SHORT STAINLESS STEEL IP56 0,8W

WALL LED LIGHT

- **Dimension:** 73X73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO SHORT STAINLESS  
STEEL IP56 0,8W

# RUEDA STAINLESS STEEL 0,8W

## TANGO STAINLESS STEEL 0,8W

WALL LED LIGHT

- **Dimension:** Ø73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



TANGO STAINLESS STEEL 0,8W

# RUEDA SHORT STAINLESS STEEL IP56 0,8W

## RUEDA SHORT STAINLESS STEEL IP56 0,8W

WALL LED LIGHT

- **Dimension:** Ø73X10,5mm
- **COLOR (K):** 3000K ili 4000K
- Ø60mm



RUEDA SHORT STAINLESS  
STEEL IP56 0,8W

## TANGO BLACK IP66 10V WITH PIR SENSOR

### TANGO BLACK IP66 10V

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K

■ Ø60mm



TANGO BLACK IP66 10V  
WITH PIR SENSOR

## RUEDA BLACK IP66 10V WITH PIR SENSOR

### TANGO SHORT WHITE IP66 0,8W

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K

■ Ø60mm



RUEDA BLACK IP66 10V  
WITH PIR SENSOR

## TANGO S/S IP66 10V WITH PIR SENSOR

### TANGO S/S IP66 10V

WALL LED LIGHT

- **Dimension:** 73x73mm
- **COLOR (K):** 3000K

■ Ø60mm



TANGO S/S IP66 10V  
WITH PIR SENSOR

## RUEDA S/S IP66 10V WITH PIR SENSOR

### RUEDA S/S IP66 10V

WALL LED LIGHT

- **Dimension:** Ø73mm
- **COLOR (K):** 3000K

■ Ø60mm



RUEDA S/S IP66 10V  
WITH PIR SENSOR

# TL-02 PRO

**TL-02 PRO** RUST 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CABLE  
WHITE USB CABLE  
WHITE EU PLUG (5V 2A)

**TL-02 PRO** BLACK 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER  
BLACK USB CABLE  
BLACK EU PLUG (5V 2A)

**TL-02 PRO** WHITE 2.2W, 190Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER  
WHITE USB CABLE  
WHITE EU PLUG (5V 2A)

- **Dimension:** 380xØ110mm

## WIRELESS CHARGER



TL-02 PRO RUST



TL-02 PRO BLACK



TL-02 PRO WHITE





# TL-15 PRO

**TL-15 PRO** CHAMPAGNE 1.9W, 130Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CABLE  
WHITE USB CABLE  
WHITE EU PLUG (5V 2A)

**TL-15 PRO** GREY 1.9W, 130Lm, 2700K, Ra98, IP44

- **Including:** BLACK WIRELESS CHARGER  
WHITE USB CABLE  
WHITE EU PLUG (5V 2A)

- **Dimension:** 280xØ100mm

**COVER FOR TL-15** SMOKY WAVE

**COVER FOR TL-15** CLEAR WAVE



TL-15 PRO CHAMPAGNE



TL-15 PRO GREY



COVER FOR TL-15 SMOKY WAVE



COVER FOR TL-15 CLEAR

**WIRELESS CHARGER**



# TL-17 PRO

**TL-17 PRO** BLACK 1.5W, 100Lm, 2700K, Ra95, IP44

▪ **Including:** BLACK WIRELESS CHARGER  
BLACK USB CABLE  
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 255xØ160mm



TL-17 PRO BLACK

# TL-14 PRO

**TL-14 PRO** TERRACOTTA 1.9W, 120Lm, 2700K, Ra98, IP44

**TL-14 PRO** TURQUOISE 1.9W, 120Lm, 2700K, Ra98, IP44

▪ **Including:** BLACK WIRELESS CHARGER  
BLACK USB CABLE  
BLACK EU PLUG (5V 2A)

▪ **Dimension:** 275xØ120mm



TL-14 PRO TERRACOTTA



TL-14 PRO TURQUOISE






Ø 18/36/58W

- |         |                                       |
|---------|---------------------------------------|
| Ø 1x18W | ▪ Dimension: L= 662, B= 81, H= 93mm   |
| Ø 2x18W | ▪ Dimension: L= 662, B= 130, H= 93mm  |
| Ø 1x36W | ▪ Dimension: L= 1270, B= 81, H= 93mm  |
| Ø 2x36W | ▪ Dimension: L= 1270, B= 130, H= 93mm |
| Ø 1x58W | ▪ Dimension: L= 1562, B= 81, H= 93mm  |
| Ø 2x58W | ▪ Dimension: L= 1562, B= 130, H= 93mm |

CE IP65



- **PAŽNJA!**  
Kućište je namijenjeno isključivo led cijevima s priključnim kontaktima na jednoj strani!



METALNA KOPČA ZA  
VODOTIJESNU  
SVJETILJKU





## LED BATTEN LAMP

**LED BATTEN-004-0.6m** AC220-240V, 18W, 4000K, 1440lm, IP65

■ **Dimension:** 65x75x600mm



## LED-CL3-CIRCULAR, PANIK MODUL, \*IP44

**LED-CL3-CIRCULAR** WHITE AC220-240V, 24W, 4000K, 1920lm, EM, IP44, PANIK MODUL

■ **Dimension:** Ø280x60mm



LED-CL3-CIRCULAR, PANIK MODUL





# SOLARNE

|                                         |      |                                                                                         |
|-----------------------------------------|------|-----------------------------------------------------------------------------------------|
| <b>LD-SSL-8W-TALENT</b>                 | IP65 | 3000K, solar led security light, 8W, 950Lm, black housing with transparent optical lens |
| <b>LD-SWL-6W-BRICK</b>                  | IP65 | 3000K, solar wall light, 6W, 800Lm, black housing                                       |
| <b>LSD-SWL-1.5W PLUS-BUTTERFLY</b>      | IP65 | Front 6000K+Back 3000K, 1.5W, 220Lm, solar led wall light, white housing                |
| <b>LSD-SWL-4W PLUS-BUTTERFLY</b>        | IP65 | Front 6000K+Back 3000K, 4W, 400Lm, solar led wall light, white housing                  |
| <b>LD-SFL-5W-LEADPAD</b>                | IP65 | 6000K, 5W, 500Lm, solar led floodlight, black housing                                   |
| <b>LSD-SLED-SOLAR FLOODLIGHT-8C58-A</b> | IP65 | 4000K, 8W, 800Lm, solar led floodlight, black housing                                   |



LD-SSL-8W-TALENT



LD-SWL-6W-BRICK



LD-SFL-5W-LEADPAD



LSD-SWL-1.5W PLUS-BUTTERFLY



LSD-SLED-SOLAR FLOODLIGHT-8C58-A





LSD-SWL-4W PLUS-BUTTERFLY

# UNO

UNO WHITE E-27

UNO GRAPHITE E-27

IP65 IK10 



UNO GRAPHITE





UNO WHITE

# SPIDER

SPIDER WHITE 611676A 2xE27

SPIDER GRAPHITE 611676A 2xE27

IP64 IK10 



SPIDER WHITE





SPIDER GRAPHITE

# SPINET

SPINET WHITE 611671A 2xE27

SPINET GRAPHITE 611671A 2xE27

IP64 IK10 



SPINET GRAPHITE



SPINET WHITE

**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR  Tuks


## TRIO

TRIO WHITE 611520 E27

TRIO GRAPHITE 623520 E27

TRIO GALVANIZED 691520 E27

**IK10**  **IP65**



TRIO WHITE



TRIO GRAPHITE




TRIO GALVANIZED

## ALTO

ALTO WHITE 611370A 2xE27

ALTO GRAPHITE 611370A 2xE27

**IK10**  **IP65**



ALTO WHITE



ALTO GRAPHITE


## LARGO

LARGO WHITE 611560 E27

LARGO GRAPHITE 623560 E27

LARGO GALVANIZED 691560 E27

**CE**  **IK10**  **IP65**



LARGO WHITE



LARGO GALVANIZED



LARGO GRAPHITE

## SR60039

**SR60039 BLACK** GU10

■ **Dimension:** Ø115x100x150mm



SR60039 BLACK

## SR16011T, SR16011F



SR16011T ANTRACITE



SR16011F ANTRACITE

**SR16011T** ANTRACITE LED 2x2W, 4000K, UP10° down 10°, 2x2W, IP54

■ **Dimension:** 110x110mm

**SR16011F** ANTRACITE LED, 4000K, 4x10°, 4x1W, IP54

■ **Dimension:** 100x100mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR  Tuks



## WL29-DG

**WL29-DG** DARK GREY E27, IP54

■ **Dimension:** Ø230x150x260mm



## LF-372212A-1

**LF-372212A-1** GREY 6W 220-240V IP54 3000K

**LF-372212A-1** MATT WHITE 6W 220-240V IP54 3000K

■ **Dimension:** 120\*120\*125mm



## LF-372212A-2

**LF-372212A-2** GREY 2\*6W 220-240V IP54 3000K

**LF-372212A-2** MATT WHITE 2\*6W 220-240V IP54 3000K

■ **Dimension:** 258\*84\*35mm



## JR802A

**JR802A** GREY 6W, 220-240V, IP65, 3000K

■ **Dimension:** Ø120\*140\*80mm




## BALLAD

**BALLAD WHITE** E-27 60W

**BALLAD SILVER** E-27 60W

**BALLAD GRAPHITE** E-27 60W

**IP64 IK10** 



## 3703A/B/C

**3703A** BLACK E-27, 150W MAX

**3703B** BLACK E-27, 150W MAX

**3703C** BLACK E-27, 150W MAX

▪ **Dimension:** Ø254x230x300mm



## P6001A

**P6001A** MATT SILVER 1,5W, 230V, IP65

**P6001A** ANTRACITE GREY 1,5W, 230V, IP65

▪ **Dimension:** Ø75mm



## 3011

**3011** WHITE 12V, 20W, 50Hz, IP54, G4

**3011** BLACK 12V, 20W, 50Hz, IP54, G4

**3011** GREY 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x46mm



## 3012

**3012** BLACK 12V, 20W, 50Hz, IP54, G4

▪ **Dimension:** Ø99x51mm



## 1503 BOX

**1503** BOX WHITE 220-240VV, 60W, 50Hz, IP54, E27

▪ **Dimension:** 233x83x101mm



## TO1544

**TO1544** WHITE 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** 257x90x88mm



## TO1541

**TO1541** WHITE 220-240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** 155x82x88mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR   
Tuks

## TO1511

**TO1511** WHITE E-27 60W MAX

**TO1511** BLACK E-27 60W MAX



## TO1512

**TO1512** BLACK E-27 60W MAX

**TO1512** WHITE E-27 60W MAX



## TO1524

**TO1524** BLACK E-27 60W MAX

**TO1524** WHITE E-27 60W MAX



## TO1525

**TO1525** WHITE E-27 60W MAX



## TO2008E

**TO2008E** BLACK E-27 60W MAX

**TO2008E** WHITE E-27 60W MAX



## TO2008F

**TO2008F** BLACK E-27 60W MAX

**TO2008F** WHITE E-27 60W MAX



1803

**1803** GREY 220~240V, 75W, 50HZ, IP54, E27

▪ **Dimension:** 264x118x128mm



1801

**1801** GREY 220~240V, 75W, 50HZ, IP54, E27

▪ **Dimension:** 264x118x128mm



SG-623579

**SG-623579** PRIMO GRAPHITE 230V, 20W LED integrirani, IP65

▪ **Dimension:** Ø270x125mm



1101

**1101** WHITE 220~240V, 60W, 50Hz, IP54, E27

▪ **Dimension:** Ø240x128mm



SG-633864

**SG-633864** CANTO GRAPHITE 230V, 25W LED integrirani, IP65

▪ **Dimension:** Ø325x105mm



2101

**2101** WHITE 220~240V, 60W, 50HZ, IP54, E27

▪ **Dimension:** Ø250x125mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR  Tuks



## 62741-A MAXI PC

IP65, E27, 100W, PC BLACK IP65, E27, 100W, PC

■ **Dimension:** 280x170x132mm



2201

**2201** BLACK 220-240V, 100W, 50Hz, IP54, E27

**2201** WHITE 220-240V, 100W, 50Hz, IP54, E27

■ **Dimension:** 320x205x125mm



2301

**2301** SILVER 220-240V, 60W, 50Hz, IP54, E27

**2301** BLACK 220-240V, 60W, 50Hz, IP54, E27

■ **Dimension:** Ø191x100mm



## 62751-C MAXI PC

**62751- MAXI PC** BLACK IP65, E27, 100W, PC

■ **Dimension:** Ø280x132mm



2074

**2074** BLACK 220-240V, 75W, 50Hz, IP54, E27

**2074** GREY 220-240V, 75W, 50Hz, IP54, E27

■ **Dimension:** Ø260x133mm



SR6001, IP44



**SR6001** DARK GREY LED, IP54, 3000K, ALU+ABS+PC, 25W

■ **Dimension:** 600x70x90mm



# PK-200TB

|                 |                 |                               |
|-----------------|-----------------|-------------------------------|
| <b>PK-200TB</b> | MATT WHITE      | 10W, AC220/240V, 600lm, 4000K |
| <b>PK-200TB</b> | MATT ANTR. GREY | 10W, AC220/240V, 600lm, 4000K |

■ **Dimension:** 290x200x100mm



# PK-300TA SENSOR

|                        |                 |                               |
|------------------------|-----------------|-------------------------------|
| <b>PK-300TA SENSOR</b> | MATT ANTR. GREY | 12W, AC220/240V, 900lm, 4000K |
|------------------------|-----------------|-------------------------------|

■ **Dimension:** Ø300x100mm



# PK-300TA

|                 |                 |                                     |
|-----------------|-----------------|-------------------------------------|
| <b>PK-300TA</b> | MATT WHITE      | IP66, 12W, AC220/240V, 900lm, 4000K |
| <b>PK-300TA</b> | MATT ANTR. GREY | IP66, 12W, AC220/240V, 900lm, 4000K |

■ **Dimension:** Ø300x100mm



# PK-200TA

|                 |                 |                               |
|-----------------|-----------------|-------------------------------|
| <b>PK-200TA</b> | MATT ANTR. GREY | 12W, AC220/240V, 950lm, 4000K |
|-----------------|-----------------|-------------------------------|

■ **Dimension:** 290x200x100mm



# 2701

|             |       |                                |
|-------------|-------|--------------------------------|
| <b>2701</b> | BLACK | 220-240V, 60W, 50Hz, IP54, E27 |
|-------------|-------|--------------------------------|



## PFT600W

**PFT600W** WHITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200X220mm



## PFT606W

**PFT606W** WHITE PE+PBS, IP65, E27, MAX25W

**Dimension:** 280x280X600mm



## PFT809W

**PFT809W** WHITE PE+PBS, IP65, E27, MAX25W

■ **Dimension:** 200x200X340mm



## PFT800W

**PFT800W** WHITE PE+PBS, IP65, E27, MAX25W

**Dimension:** 200x200X280mm



## PFT830W

**PFT830W** WHITE PE+PBS, IP65, E27, MAX25W

**Dimension:** 300x300X360mm



# GL11602

GL11602 WHITE LED, 6W, IP54

■ Dimension: 125x800x300mm

## LG3624


LG3624 WHITE 230V, 100W, 50Hz, IP44, E27

■ Dimension: 1000x155mm

## B 006SS

B 006SS ZIDNA LAMPA 230V, 60W, 50Hz, IP44, E27

■ Dimension: 402x115mm



## SR31114

SR31114 DARK GREY LED, 9W, IP54, 3000K, 630lm

Dimension: Ø108x800mm

## TO3808A

TO3808A WHITE E27, IP54

TO3808A BLACK E27, IP54

TO3808A SILVER E27, IP54

■ Dimension: Ø205x650mm



## TO3808B

TO3808B WHITE E27, IP54

TO3808B SILVER E27, IP54

■ Dimension: Ø205x650mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR Tuks



# 061-H

**061-H BG** 230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 210x300x210mm



# 0140-H

**0140-H** SILVER-BLACK 230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 150x380x150mm



# 0107-H

**0107-H** WH 230V, 60W, 50Hz, IP44, E27

**Dimension:** 200x260x200mm



# 3501

**3501** WH



# 061-PL-3

**061-PL-3 BG** 230V, 60W, 50Hz, IP44, 3x E27

▪ **Dimension:** VISINA: 2070mm



## 0092-WD, 0092-H

**0092-H TC**

230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 210x350x210mm



## 0064-H

**0064-H**

230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 180x320x180mm



## 0022-H

**0022-H BG**

230V, 60W, 50Hz, IP44, E27

**0022-H VG**

230V, 60W, 50Hz, IP44, E27

▪ **Dimension:** 150x400x150mm



## XTY-17031

**XTY-17031**

MATT BLACK

E27

▪ **Dimension:** 450x780mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR  Tuks

0006-H

0006-H RT 230V, 60W, 50Hz, IP44, E27

■ Dimension: 200x400x200mm



6204

6204 WHITE E27, IP44

■ Dimension: Ø230x478mm



6201

6201 VERDIGRIS 220-240V, 60W, 50Hz, IP43, E27

■ Dimension: 422x280mm



8007

8007 GREY

■ Dimension: 220x383x125mm



4105

4105 WHITE 220-240V, 60W, 50Hz, IP43, E27

4105 BLACK 220-240V, 60W, 50Hz, IP43, E27

■ Dimension: 970x150mm



## 6205

|             |           |                                   |
|-------------|-----------|-----------------------------------|
| <b>6205</b> | GB        | 220-240V, 100W, 50HZ, IP43, 3xE27 |
| <b>6205</b> | SIVA      | 220-240V, 100W, 50HZ, IP43, 3xE27 |
| <b>6205</b> | WHITE     | 220-240V, 100W, 50HZ, IP43, 3xE27 |
| <b>6205</b> | VERDIGRIS | 220-240V, 100W, 50HZ, IP43, 3xE27 |

■ **Dimension:** 2060x450mm



## 6210

|             |       |                                 |
|-------------|-------|---------------------------------|
| <b>6210</b> | GB    | 220-240V, 100W, 50HZ, IP43, E27 |
| <b>6210</b> | WHITE | 220-240V, 100W, 50HZ, IP43, E27 |

■ **Dimension:** 422x280mm



## 6105

|             |           |                                |
|-------------|-----------|--------------------------------|
| <b>6105</b> | VERDIGRIS | 220-240V, 60W, 50HZ, IP43, E27 |
|-------------|-----------|--------------------------------|

■ **Dimension:** 972x202mm



## XTY-17012-M-W

|                      |            |           |
|----------------------|------------|-----------|
| <b>XTY-17012-M-W</b> | MATT BLACK | E27, IP44 |
|----------------------|------------|-----------|

■ **Dimension:** 350x360mm



**ARTIKLI DOSTUPNI DO ISTEKA ZALIHA**

IR **Tuks**



8105

**8105** WHITE E27, 100W MAX, IP43

■ **Dimension:** 160x1090cm



XTY-087

**XTY-087 WH** E27, 40W MAX, IP54

■ **Dimension:** 36\*36\*30cm



6213

**6213** GB 220-240V, 100W, 50HZ, IP43, 3xE27

**6213** WHITE 220-240V, 100W, 50HZ, IP43, 3xE27

■ **Dimension:** 2060x450mm



XTY-071

**XTY-071-WD** E27, 100W MAX

■ **Dimension:** 36x27, h=60cm

**XTY-071-H** E27, 100W MAX

■ **Dimension:** 27x27, h50, lanac 75cm



XTY.071-WD


XTY.071-H

# SY1 1X36, SY 1X58

- SY1 x 36W IP54

■ Dimension: L= 1270, B= 81, H= 93mm
- SY1 x 58W IP54

■ Dimension: L= 1570, B= 81, H= 93mm



## PD-PIR500H 500W

- PD-PIR500H 500W

WHITE

INFRARED SENSOR LAMP IP54
- PD-PIR500H 500W

BLACK

INFRARED SENSOR LAMP IP54
- Dimension: 230x210x170mm



## SD-F013-MS

- SD-F013-MS-10DW

120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 10W, 85-265V/50-60HZ, IP54
- Dimension: 120x127x40mm
- SD-F013-MS-20DW

120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 20W, 85-265V/50-60HZ, IP54
- Dimension: 184x184x64mm
- SD-F013-MS-30DW

120-140lm/W, SMD5730 EPISTAR, 4000K, 120°, 30W, 85-265V/50-60HZ, IP54
- Dimension: 227x227x80mm
- \*\*MS U OZNACI PREDSTAVLJA 5.8GHZ MICROWAVE SENSOR




ARTIKLI DOSTUPNI DO ISTEKA ZALIHA

## SD-F001-50DW

**SD-F001-50DW** 50W, LED Flood light, 80-90lm/W, 4000K, 120°, aluminium+glass, IP65

- **Dimension:** 286x232x125mm



## SD-F006PIR

**SD-F006PIR-10CW** 10W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 160x50x180mm

**SD-F006PIR-50CW** 50W, PIR LED Flood light, 80-90lm/W, 6000K, 120°, aluminium+glass, IP65

- **Dimension:** 232x125x286mm



## SD-F015-70W

**SD-F015-70W** 70W, LED Flood light, 4000K, AC85-265V, Epistar 38 mil chip, IP65

- **Dimension:** 286x185x105mm



## LED-FL2-AC220-240V-10W

**LED-FL2-AC220-240V-10W** 10W, LED Flood light, IP65, 700lm, PF: >0.85, 3000K, Ra: 80, 140°, Aluminium, Diffuser: glass, 2 years warranty, IP65

- **Dimension:** 135x111x18.5mm



# LED-SMD-220-240V

**LED-SMD-220-240V-10W** 10W, PIR LED Flood light, IP44, PF >0.9, 800lm, 6000K, 120°, Aluminium body, Glass Diffuser, IP65

▪ **Dimension:** 130x150x50mm

**LED-SMD-220-240V-30W** 30W, PIR LED Flood light, IP44, PF >0.9, 2500lm, 6000K, 120°, Aluminium body, Glass Diffuser, IP65

▪ **Dimension:** 170x190x70mm



## SD-ST013



**SD-ST013 12W** 1W HIGH POWER, 12W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W, IP65

▪ **Dimension:** 350x95x55mm

**SD-ST013 24W** 1W HIGH POWER, 24W, EPISTAR 35mm, 6500K, 80x140°, 110-120lm/W, IP65

▪ **Dimension:** 400x141x70mm

